

## Historic District Inventory Report

### Crozet Historic District

This inventory report, generated by the Department of Historic Resources' Data Sharing System, can be used to complete Section 7 of the National Register nomination form. All data should be checked carefully by the author of the nomination. Though deemed reliable, DHR makes no guarantees as to its accuracy.

#### Apple Grove Lane

##### 5755 Apple Grove Lane 002-5087-0002

*Primary Resource Information:* **Single Dwelling, Stories 1.50, Style: Tudor Revival, ca 1935**

2007: Constructed circa 1935, the 1.5-story concrete block Tudor Revival-style dwelling faces west, sits on a concrete block foundation, and is capped by a gable-front-and-wing roof with asphalt shingles. Stylistic in design is the brick corner entry tower with conical roof and brick quoins. The primary facade of the dwelling features a recessed side-elevation porch with wood posts, three sets of paired 4/4 vinyl windows (including one set in the gable peak), basement-level metal three-light windows, and a gabled dormer on the "wing". Three other gabled dormers extend across the rear elevation. Other detailing includes a raking wood cornice, square lug sills, and a single-leaf door.

<i>Individual Resource Status:</i> <b>Single Dwelling</b>	<b>Contributing</b>	<i>Total:</i> 1
<i>Individual Resource Status:</i> <b>Shed</b>	<b>Contributing</b>	<i>Total:</i> 2
<i>Individual Resource Status:</i> <b>Garage</b>	<b>Contributing</b>	<i>Total:</i> 1

##### 5756 Apple Grove Lane 002-5087-0001

*Primary Resource Information:* **Single Dwelling, Stories 2.00, Style: Colonial Revival, ca 1935**

Set on a solid, concrete block foundation, the two-story wood-frame dwelling is capped by a side-gabled asphalt-shingle roof. Clad in aluminum siding, the originally 1.5-story dwelling features an off-center entry and porch, 6/6 vinyl windows, a single-leaf door, and a two-bay porch with wood posts set on paneled bases. The dwelling is five bays wide on the second story and features a one-story wing and a rear shed porch. There is a side entry, vinyl louvered shutters, and a boxed aluminum cornice. A one-story concrete block shed addition extends from the rear.

<i>Individual Resource Status:</i> <b>Single Dwelling</b>	<b>Contributing</b>	<i>Total:</i> 1
<i>Individual Resource Status:</i> <b>Garage</b>	<b>Contributing</b>	<i>Total:</i> 1
<i>Individual Resource Status:</i> <b>Tenant House</b>	<b>Contributing</b>	<i>Total:</i> 1

#### Blue Ridge Avenue

##### 1194 Blue Ridge Avenue 002-5008

*Other DHR Id #:* **002-5087-0057**

*Primary Resource Information:* **Single Dwelling, Stories 2.00, Style: Colonial Revival, ca 1910**

A ca. 1905 2-story, 3-bay, double-pile, brick dwelling, with a cross-gable, jerkin-head roof that contains pent eaves. The porch is supported by Tuscan columns and includes a rock-faced concrete block foundation and standing-seam roof.

2007: Set on a poured concrete foundation, the stretcher brick masonry dwelling is constructed in the Colonial Revival style. Standing two stories in height, the dwelling is capped with a side-gabled jerkinhead roof with pressed metal shingles and features a central jerkinhead gable. The first story is three bays wide with a slightly off-center single-leaf door with one-light transom and sidelights. It is flanked by 1/1 wood windows, which also pierce the second story. Each is detailed with an arched brick lintel. A wrap-around screened porch with central gable extends across the first story, supported by Tuscan columns. A two-story wood-frame ell extends from the SW elevation. There is a rear two-story brick ell and a NE elevation gabled entry. Other details include a wide molded wood cornice, a central peak one-light window, and a rear wood deck. A central-interior brick chimney rises from the roof, which is clad in pressed metal shingles.

<i>Individual Resource Status:</i> <b>Garage</b>	<b>Contributing</b>	<i>Total:</i> 2
<i>Individual Resource Status:</i> <b>Shed</b>	<b>Contributing</b>	<i>Total:</i> 2
<i>Individual Resource Status:</i> <b>Barbecue Pit</b>	<b>Contributing</b>	<i>Total:</i> 1
<i>Individual Resource Status:</i> <b>Single Dwelling</b>	<b>Contributing</b>	<i>Total:</i> 1

##### 1201 Blue Ridge Avenue 002-5007

*Other DHR Id #:* **002-5087-0056**

*Primary Resource Information:* **Single Dwelling, Stories 2.50, Style: Colonial Revival, ca 1910**

## Blue Ridge Avenue

1905, 2-story, 2-bay, hip-roofed, brick house with center, hip-roofed dormer. 1-story porch has Doric columns with brick bases. Windows have segmented arched heads and 8/1 sash. Door has transoms and sidelight. 2-story porch on rear is set beneath the eaves of the roof.

2007: The 2.5-story ca. 1910 brick dwelling features a 4-square form and Colonial Revival detailing. Set on a parged concrete foundation, the stretcher brick dwelling features a two-bay facade with off-center single-leaf entry and 8/1 arched wood windows with brick lintels. The single-leaf entry is detailed with an arched brick lintel, three-light transom and two-light and panel sidelights. The first story is sheltered by a four-bay full-width hipped porch with standing seam metal roof and Tuscan columns. Wide overhanging eaves and a boxed wood cornice detail the hipped roof with pressed metal shingles. A central hipped dormer with pair of 4/1 wood windows caps the roof, while a central-interior brick chimney rises from the peak. The dwelling is two bays deep and features an inset two-story rear porch.

*Individual Resource Status:* **Single Dwelling** **Contributing** *Total:* 1

## 1216 Blue Ridge Avenue 002-2200

*Other DHR Id #:* 002-5087-0058

*Primary Resource Information:* **Single Dwelling, Stories 2.00, Style: Colonial Revival, ca 1908**

A 2-story, 3-bay frame house, with a cross-gable roof. The one-story front porch is supported by Tuscan columns. A two-story, one-bay wing is located at the rear of the house.

2007: The central-gabled wood-frame I-house sits on a poured concrete foundation and is capped by a center-gabled roof with pressed metal shingles. Clad in stucco, the three-bay-wide single-pile dwelling features a gabled two-story ell, a full-width hipped front porch with Tuscan columns, and 1/1 vinyl windows. The central single-leaf entry is detailed with a three-light transom and two-light plus panel sidelights. There are fixed louvered vinyl shutters, a projecting three-side bay window, and a boxed aluminum cornice. The porch sits on a rock-faced concrete foundation.

*Individual Resource Status:* **Single Dwelling** **Contributing** *Total:* 1

*Individual Resource Status:* **Garage** **Contributing** *Total:* 1

*Individual Resource Status:* **Shop** **Contributing** *Total:* 1

*Individual Resource Status:* **Shed** **Contributing** *Total:* 1

## 1227 Blue Ridge Avenue 002-5087-0055

*Primary Resource Information:* **Single Dwelling, Stories 1.00, Style: Bungalow/Craftsman, ca 1941**

Set on a poured concrete foundation, the one-story bungalow features a front-gabled asphalt-shingle roof and vinyl siding. A screened half-hipped roof extends across most of the facade, displaying battered post on brick pier supports. There is a rear gabled addition and a peak 3/1 wood window. Other detailing includes a molded cornice, overhanging eaves, square-edged surrounds with a molded backband, and a central-interior brick chimney.

*Individual Resource Status:* **Single Dwelling** **Contributing** *Total:* 1

*Individual Resource Status:* **Shed** **Contributing** *Total:* 1

## 1231 Blue Ridge Avenue 002-5087-0054

*Primary Resource Information:* **Single Dwelling, Stories 1.00, Style: Other, ca 1963**

The one-story wood-frame dwelling features an off-center gable, poured concrete foundation, and asphalt-shingle roof. Clad in aluminum siding, the dwelling features 1/1 metal windows, a single-leaf central entry with jalousie light storm door, and a central gabled portico with wood posts. There is a concrete block central interior chimney, a wood cornice, and a side-gabled wing on the east end with shed entry.

*Individual Resource Status:* **Single Dwelling** **Non-Contributing** *Total:* 1

*Individual Resource Status:* **Carport** **Non-Contributing** *Total:* 1

## 1233 Blue Ridge Avenue 002-5087-0053

*Primary Resource Information:* **Single Dwelling, Stories 2.00, Style: Colonial Craftsman, ca 1920**

Set on a parged concrete foundation, the two-story 4-square dwelling is capped by a hipped asphalt-shingle roof. Exhibiting a Colonial Revival form with Spanish Colonial Revival and Craftsman detailing, the eclectic house features a three-bay facade with central entry and flanking 8/1 wood windows. The single-leaf door features an eight-light and three-panel design with 4-light and panel sidelights. The entry is sheltered by a shallow hipped portico supported by Craftsman style brackets. A central 6/1 window flanked by paired 6/6 windows pierces the second story. Surrounds are detailed in the Craftsman style with square edges and sills and a lipped lintel. The main block features a side entry, concrete steps, and wide overhanging eaves. The roof is detailed with tile edging, reminiscent of Spanish Revival architecture. Clad in stucco, the house also features a one-story hipped screen porch wing,

## Blue Ridge Avenue

diamond-shaped shingles, a flush fascia, a central-interior stucco chimney, and an exterior-end brick chimney.

*Individual Resource Status:* **Single Dwelling** **Contributing** *Total:* 1

### 1243 Blue Ridge Avenue 002-5087-0052

*Primary Resource Information:* **Single Dwelling, Stories 2.00, Style: Colonial Revival, ca 1983**

The two-story, three-bay wide wood-frame dwelling features a poured concrete foundation, beaded siding, and a side-gabled asphalt-shingle roof. There is a central single-leaf door sheltered by a shed portico supported by wood posts and flanked by 6/6 vinyl windows. The single-pile structure also features a rear wood deck, a boxed wood cornice, louvered vinyl shutters, and square-edged mitered surrounds.

*Individual Resource Status:* **Single Dwelling** **Non-Contributing** *Total:* 1

### 1246 Blue Ridge Avenue 002-5087-0061

*Primary Resource Information:* **Single Dwelling, Stories 1.50, Style: Bungalow/Craftsman, ca 1920**

Set on a solid, poured concrete foundation, the eastward facing bungalow is capped by a hipped asphalt-shingle roof. Clad in weatherboard siding, the wood-frame 1.5 story dwelling features an enclosed hipped porch, a central hipped dormer with 3-light casement window, and two central-interior brick chimneys. There are metal awnings and 1/1 windows. Overhanging eaves, a side entry hipped porch and rear ell further define the structure.

*Individual Resource Status:* **Single Dwelling** **Contributing** *Total:* 1

*Individual Resource Status:* **Garage** **Contributing** *Total:* 1

*Individual Resource Status:* **Shed** **Contributing** *Total:* 1

### 1251 Blue Ridge Avenue 002-2139

*Other DHR Id #:* **002-5087-0051**

*Primary Resource Information:* **Single Dwelling, Stories 2.00, Style: Other, ca 1903**

A circa 1890 2-story, 3-bay, gable-roofed I-house, with a front cross gable. The one-story, hip-roofed front porch is supported by Tuscan columns. Windows are six-over-six sash.

2007: Set on a poured concrete foundation, the I-house dwelling stands two stories in height and three bays wide. Capped by a center-gabled standing-seam metal roof, the house features aluminum siding, a central single leaf entry, and 1/1 vinyl windows. There is a central flush wall gable, a rear wood deck, and a rear two-story gabled ell, added circa 1930. Other detailing includes a three-bay hipped porch with scroll-sawn brackets and turned posts, a boxed aluminum cornice, a single-light door transom, and two central-interior brick chimneys. The windows feature square-edged wood surrounds with lipped lintels.

*Individual Resource Status:* **Single Dwelling** **Contributing** *Total:* 1

### 1254 Blue Ridge Avenue 002-5087-0062

*Primary Resource Information:* **Single Dwelling, Stories 1.50, Style: Bungalow/Craftsman, ca 1922**

Set on a poured concrete foundation, the 1.5-story bungalow features wood-frame construction, asbestos shingle siding, and a side-gabled asphalt-shingle roof. A gabled on-bay porch supported by Craftsman posts on brick pier supports shelters the central single-leaf entry detailed with a three-light transom and two-light sidelights. The entry is flanked by paired 8-light vertical casement windows with vinyl fixed shutters. The roof features a central shed dormer with three one-light windows. Other details include overhanging eaves, exposed porch rafter tails, triangular eave brackets, square-edged surrounds with lipped lintels, and a rear wood deck. The dwelling is three bays wide and two bays deep.

*Individual Resource Status:* **Single Dwelling** **Contributing** *Total:* 1

### 1261 Blue Ridge Avenue 002-5087-0050

*Primary Resource Information:* **Single Dwelling, Stories 1.00, Style: Other, ca 1940**

Set on a poured concrete foundation, the one-story wood-frame dwelling features aluminum siding, a gable-front and wing form with asphalt-shingle roof, and a three-bay half-hipped porch with metal posts. There is a one-story gabled ell, forming an L-shaped house footprint. A 2/2 horizontal window and single-leaf door are located on the wing portion, while an additional 2/2 window pierces the gable projection. Other detailing includes a central-interior concrete block chimney, and a side-gabled cellar entrance.

*Individual Resource Status:* **Single Dwelling** **Contributing** *Total:* 1

## Buford Street

## Buford Street

### 1071 Buford Street 002-5087-0063

*Primary Resource Information:* **Single Dwelling, Stories 2.00, Style: Other, ca 1950**

The two-story front-gabled dwelling, which faces east, is two bays wide. Symmetrically fenestrated, the concrete block building features an off-center single-leaf door and 6/6 wood windows. The first story openings are sheltered by a three-bay shed porch supported by wood posts. Other detailing included a molded wood cornice, a peak louvered triangular vent, concrete square sills, and thin molded wood surrounds.

<i>Individual Resource Status:</i> <b>Single Dwelling</b>	<b>Contributing</b>	<i>Total:</i>	1
<i>Individual Resource Status:</i> <b>Shed</b>	<b>Contributing</b>	<i>Total:</i>	1

## Carter Street

### 1171 Carter Street 002-5023

*Other DHR Id #:* **002-5087-0038**

*Primary Resource Information:* **Commercial Building, Stories 1.00, Style: Bungalow/Craftsman, ca 1925**

Many doors and windows have been altered, and aluminum siding added. 1-story, 2-bay-long, 1-bay-deep, frame building with a jerkin-head roof and exterior stone/brick chimney. Some original windows remain and have 6/1 sash.

2007: Set on a solid poured concrete foundation, the one-story wood frame building features a clipped gable roof with asphalt shingles and aluminum siding. The original entry was on the east side with a gabled portico, although it was removed and the entrance is now on the west side. The west elevation features two double-leaf doors (one wood and one metal) and a central stone shouldered chimney with brick stack. A small shed addition extends from the north elevation, while three banked 6/1 windows light the south side. Detailing includes overhanging eaves, a boxed wood cornice with molded edge and decorative corners, and a concrete block interior-end chimney.

<i>Individual Resource Status:</i> <b>Commercial Building</b>	<b>Contributing</b>	<i>Total:</i>	1
---	---------------------	---------------	---

### 1182 Carter Street 002-5009

*Other DHR Id #:* **002-5087-0039**

*Primary Resource Information:* **Single Dwelling, Stories 2.00, Style: Colonial Revival, ca 1917**

A 2-story, 3-bay, double-pile Italianate-style dwelling that served as the parsonage for the Crozet Methodist Church. It features a full-width front porch, which is supported by Tuscan columns and turned balusters. A shed-roofed ell is located at the rear.

2007: Set on a solid concrete block foundation, the two-story wood-frame dwelling is capped by a hipped asphalt-shingle roof and clad in vinyl siding. The Colonial Revival 4-square dwelling features Italianate-style detailing in its bracketed cornice. The three-bay-wide dwelling features a slightly off-center single-leaf entry with one-light transom and flanking 1/1 vinyl windows. Two similar 1/1 windows pierce the second story. A four-bay hipped porch with Tuscan column supports and turned balusters extends across the first story. The porch is accessed by a set of steep concrete steps. Other detailing includes vinyl louvered shutters, a rear one-story shed addition, a center gable, and square vinyl surrounds.

<i>Individual Resource Status:</i> <b>Single Dwelling</b>	<b>Contributing</b>	<i>Total:</i>	1
---	---------------------	---------------	---

### 1234 Carter Street 002-5087-0043

*Primary Resource Information:* **Single Dwelling, Stories 1.00, Style: Other, ca 2001**

The one-story wood-frame dwelling sits on a concrete block foundation and is capped by a side-gabled asphalt-shingle roof. The five-bay-wide structure features vinyl siding, a rear wood deck, 9/9 vinyl windows, and an off-center single-leaf entry sheltered by a one-bay inset concrete porch with wood deck. The modular dwelling is detailed with overhanging eaves, thin aluminum surrounds, three-light sidelights, and fixed vinyl paneled shutters.

<i>Individual Resource Status:</i> <b>Single Dwelling</b>	<b>Non-Contributing</b>	<i>Total:</i>	1
---	-------------------------	---------------	---

## Crozet Avenue

### Crozet Avenue 002-2188

*Other DHR Id #:* **002-5087-0104**

*Primary Resource Information:* **Bridge, , Style: Other, ca 1920**

Single-span metal trestle railroad bridge carrying C&O tracks over Rt. 635 (Crozet Ave.), just south of Route 240 (Three Notch'd Rd.) in central Crozet. Bridge is supported on concrete abutments. Bridge has wooden railings. The concrete base features painted murals. There is an 11 foot six-inch clearance under the bridge.

<i>Individual Resource Status:</i> <b>Bridge</b>	<b>Contributing</b>	<i>Total:</i>	1
--	---------------------	---------------	---

## Crozet Avenue

### 1100 Crozet Avenue 002-5087-0015

*Primary Resource Information:* **Multiple dwelling, Stories 1.00, Style: Other, ca 1950**

The one-story masonry apartment building is clad in stucco and capped by a hipped asphalt-shingle roof. The building features three units with separate single-leaf entries and horizontal 2/2 wood windows. Other detailing includes overhanging eaves, symmetrical fenestration, a boxed cornice and flush fascia, rowlock sills, and flush three-light single-leaf doors.

*Individual Resource Status:* **Multiple dwelling** **Contributing** *Total:* 1

### 1105 Crozet Avenue 002-5087-0008

*Primary Resource Information:* **Single Dwelling, Stories 1.00, Style: Other, ca 1940**

The one-story concrete block dwelling is t-shaped. The dwelling is constructed of concrete block and capped by a hipped asphalt-shingle roof. There is an off-center single-leaf door, overhanging eaves, 1-light casement windows on the side elevations, exposed rafter tails on the rear portion, and a rear shed addition. An exterior-end shouldered brick chimney rises from the roofline. The house faces west.

*Individual Resource Status:* **Single Dwelling** **Contributing** *Total:* 1

*Individual Resource Status:* **Well** **Non-Contributing** *Total:* 1

### 1107 Crozet Avenue 002-2110

*Other DHR Id #:* **002-5087-0007**

*Primary Resource Information:* **Single Dwelling, Stories 1.50, Style: Bungalow/Craftsman, ca 1915**

2007: The dwelling is a 1 1/2-story, 3-bay-wide, wood-frame house with jerkin-head side-gabled roof and hip-roofed center dormer. The roof features red pressed metal shingles. The 1-story, full-width, shed-roofed porch has chamfered posts. Most windows have 6/6 sash; some are paired. The central single-leaf door has 4-light transom and 3-light and panel sidelights. Other detailing includes a slate porch floor, lipped lintels and square-edged surrounds, and a molded wood cornice with returns. There is a 1-story, shed-roofed sun roof addition on the rear. A one-story rear ell addition also appears to have been originally a separate building connected to the rear shed sunroom. It features a gabled roof, interior-end chimney, and weatherboard cladding.

*Individual Resource Status:* **Single Dwelling** **Contributing** *Total:* 1

*Individual Resource Status:* **Shed** **Non-Contributing** *Total:* 1

### 1108 Crozet Avenue 002-2103

*Other DHR Id #:* **002-5087-0016**

*Primary Resource Information:* **Single Dwelling, Stories 2.00, Style: Colonial Revival, ca 1900**

The wood-frame Colonial Revival dwelling is a 2-story, 3-bay, gable-roofed house on raised stone foundation, with central cross gable with decorative vents. There is a 1-story three-bay front porch with Tuscan columns and turned rails. A central single-leaf door has three-light transom and 3-light sidelights with patterned glass. A two-story, gable-roofed rear ell and a one-story gabled rear addition with exterior-end brick chimney (may have originally been separate) extend from the rear elevation. A one-story sun porch also projects from the rear. Other detailing includes a boxed wood cornice, operable louvered shutters, weatherboard siding, 2/2 wood windows, and square-edged surrounds with lipped lintels.

*Individual Resource Status:* **Garage** **Non-Contributing** *Total:* 1

*Individual Resource Status:* **Single Dwelling** **Contributing** *Total:* 1

### 1118 Crozet Avenue 002-2102

*Other DHR Id #:* **002-5087-0017**

*Primary Resource Information:* **Single Dwelling, Stories 2.00, Style: Other, ca 1905**

The 2-story, 3-bay, gable-roofed house features a gable-front-and-wing footprint. Clad in weatherboard siding, the dwelling is constructed of wood-frame and capped by a gable roof with pressed metal shingles. A 1-story porch fornting the wing has chamfered posts and turned rails. Windows have 2/2 wood sash. There is a two-story rear gabled ell with gable addition and shed wing. A one-story shed rear addition is an enclosed porch. Other detailing includes a rear wood deck, vinyl louvered shutters, a single-leaf entry, and a parged foundation. There are two central-interior and one interior-end brick chimneys as well as a concrete block exterior-end chimney.

*Individual Resource Status:* **Shed** **Contributing** *Total:* 1

*Individual Resource Status:* **Single Dwelling** **Contributing** *Total:* 1

### 1122 Crozet Avenue 002-2101

*Other DHR Id #:* **002-5087-0018**

*Primary Resource Information:* **Single Dwelling, Stories 2.00, Style: Late Victorian, ca 1900**

The 2-story, 3-bay, gable-roofed, single-pile I-house features a central cross-gable and two central-interior brick chimneys. The 1-story, three-bay porch has scrolled brackets and turned posts and rails. A 2-story gable-roofed ell with shed wing is on the rear. It

## Crozet Avenue

features a one-story gabled addition. The central single-leaf door has one-light transom. House sits on stone foundation and features weatherboard siding, 2/2 windows, and square-edged surrounds with lipped lintels.

*Individual Resource Status:* **Single Dwelling** **Contributing** *Total:* 1

### 1146 Crozet Avenue 002-2100

*Other DHR Id #:* 002-5087-0019

*Primary Resource Information:* **Gas Station, Stories 1.00, Style: Colonial Revival, ca 1928**

A 1-story, 5-bay, early-twentieth-century service station with a steeply pitched roof, porte cochere, and flared eaves. The stucco-clad building features sunburst-pattern caps, Tuscan posts, a molded cornice, 1-light and 12/2 windows, multi-light transoms, and single-leaf multi-light doors. The main block features a slightly off-center door flanked by windows under the porte cochere and two closed-up door to the south. Windows and doors feature round heads and multiple panes. Pumps located in porte cochere still operate. The main building features three concrete block garage additions and rear extensions. There is a central-interior brick and a concrete block chimney.

*Individual Resource Status:* **Gas Station** **Contributing** *Total:* 1

*Individual Resource Status:* **Shed** **Contributing** *Total:* 1

### 1155 Crozet Avenue 002-2106

*Other DHR Id #:* 002-5087-0021

*Primary Resource Information:* **Single Dwelling, Stories 2.00, Style: Late Victorian, ca 1905**

6/07:The 2-story, 5-bay, single-pile wood-frame I-house features a cross-gable pressed metal shingle roof and three interior brick chimneys. A Palladian window is set in the cross gable and the main entrance features sidelights and transoms. The full basement includes a bulkhead entrance on the south side of the house. Other facade detailing includes a central single-leaf door, a secondary single-leaf entry to the north, 2/2 wood windows, and a boxed wood cornice. The house also features a poured concrete foundation, weatherboard cladding, and a hipped porch with chamfered posts. There is a rear two-story gabled ell and a rear shed addition with an enclosed second story and open first story porch.

*Individual Resource Status:* **Single Dwelling** **Contributing** *Total:* 1

### 1156 Crozet Avenue 002-2099

*Other DHR Id #:* 002-5087-0020

*Primary Resource Information:* **Church, Stories 1.00, Style: Gothic Revival, ca 1899**

A one-story, gable-front church with an octagonal projecting, one-story apse-like entry pierced with three double-leaf doors. The original structure features three lancet-arched windows along the sides of the building, exterior-end brick chimney, and decoratively-sawn details in the gable-end. Clad in weatherboard, the original church also features a overhanging eaves, a standing-seam metal roof, and double-leaf doors with lancet transoms. The doors are accessed via wooden steps. A rear gabled concrete block addition dating from circa 1960 connects the church to the modern church building.

*Individual Resource Status:* **Church** **Non-Contributing** *Total:* 2

*Individual Resource Status:* **Shed** **Non-Contributing** *Total:* 1

### 1171 Crozet Avenue 002-2107

*Other DHR Id #:* 002-5087-0022

*Primary Resource Information:* **Single Dwelling, Stories 2.50, Style: Queen Anne, ca 1910**

The 2-1/2-story, 3-bay, hip-roofed Queen Anne-style house features a complex asphalt-shingled hip roof and rear additions. The building features Queen Anne style multi-light windows, a wrap-around porch (wraps to south) with wood steps, and four interior brick chimneys. Other details include a boxed molded wood cornice, a slightly off-center hipped dormer, a two-story boxed bay, a projecting gabled wing, and a Colonial Revival porch with closed pediment and rebuilt posts. There is a rear ell and one-story addition. The side elevation projecting gable is canted on the first story. The dwelling sits on a rock-faced concrete block foundation and features asbestos siding.

*Individual Resource Status:* **Single Dwelling** **Contributing** *Total:* 1

### 1183 Crozet Avenue 002-2108

*Other DHR Id #:* 002-5087-0172

*Primary Resource Information:* **Single Dwelling, Stories 2.00, Style: Italianate, ca 1882**

1995: A 2-story, 4-bay, Italianate-style hip-roofed house with bracketed eaves and molded cornice. 1-bay wing is on the north. Windows have 2/2 sash; door has elaborate Eastlake-style molding. Built circa 1900, and in fair condition at the time of this survey with no known threats.

The house is covered with asbestos siding. Metal porch posts and brick piers are not original.

## Crozet Avenue

2006 survey: Originally constructed circa 1882 as a ¾-Georgian side-hall plan, the dwelling at 1183 Crozet Avenue was expanded with a central kitchen ell soon after construction (circa 1885). The main block was expanded to the south with the addition of a main block wing/parlor circa 1906. Circa 1910-15 the dwelling was expanded again with the addition of a second ell and a rear shed attached bathroom addition. The dwelling represents a vernacular interpretation of the Italianate/Queen Anne style of architecture, which was popular in Albemarle County between about 1860 and 1910. The transitional Italianate/Queen Anne style is represented through the use of scrolled cornice brackets and a projecting three-sided bay window. Circa 1960, the dwelling was divided into two two-story apartments and all interior-access between the two (north and south) sides was sealed.

Set on brick (main block, ell, and wing addition) and random Rubblestone foundation (second ell and bathroom addition) foundation, the two-story wood-frame dwelling features asbestos-shingle cladding (remnants of two generations of novelty siding are also present) and a hipped standing-seam metal roof. There are 2/2 wood windows and three central-interior brick chimneys (two feature corbelled caps). The main block with wing expansion also features two rear hipped ells, a screened porch, and a one-story shed porch that extends partially across the rear of both sections.

The primary, or west, elevation extends four bays in width with an off-center single-leaf boarded-up door. The simplified late Greek Revival-style surround features a two-light transom with two-light and dado-panel sidelights. There is a metal single-leaf storm door. The remainder of the façade features symmetrically placed 2/2 wood windows on the first and second stories, each detailed with a square-edged wood surround with a square drip cap and projecting square-edged sills. The only other window type is located on the first story's southernmost bay, which includes a projecting window bay. The bay projects 2'2" inches with three-sided canted walls, each pierced with a 2/2 wood window. A boxed wood cornice with bed molding, a flush fascia, and overhanging eave is detailed with ten symmetrically spaced scroll-sawn brackets. A three-bay porch stretches across the three northernmost bays. Set on a concrete block foundation with a stretcher-bond brick veneer, the porch features a concrete cap/porch floor. There are shallow-arched openings, a boxed wood cornice with bed molding, and s-motif metal posts; the north corner post set on a brick pier. It appears that the porch was originally a one-bay structure that sheltered the entry. There is a partial metal balustrade and concrete steps that mark a shift in height from the door to the remainder of the porch. A single-leaf basement entry is located on the south side of the porch in the main block wing addition.

The north side elevation is composed of the single-pile front main block, a rear two-story hipped kitchen addition, and a rear one-story shed bathroom addition. The rear addition, which sits on a stone foundation, projects one bay on this elevation forming an interior "L" between the main block and the circa 1910 addition. This space features a large poured concrete deck constructed on a solid concrete block foundation. There is a metal balustrade and four concrete steps. Access to the front block is through a single-leaf entry with nine-light-and-panel wood door that is sheltered by a gabled pediment overhang. Supported by metal brackets, the gable features overhanging eaves and a boxed wood cornice forming a modified closed tympanum. Wood 2/2 wood windows pierce the second story of the main block directly over the door, while the ell addition features a non-aligned 2/2 wood windows on each story of the east elevation toward the porch deck. The projecting kitchen also addition features an aligned 2/2 wood window on each story of the north elevation. The first story window has been modified with sheet metal to allow ventilation of a stove pipe. A rear shed concrete block bathroom addition features horizontal wood novelty siding in the roof peak. The window surrounds and cornice detailing are similar to the primary façade. However, there are no cornice brackets on the north side of the rear two-story addition.

The south side elevation sits on a five-course American bond brick foundation. This elevation is composed entirely of the circa 1906 late-Victorian-style wing extension of the main block. The two-story block features a centrally placed 2/2 window on the second floor and a pair of central elongated 2/2 windows on the first story. The surrounds and cornice with brackets mimic those found on the primary façade. There is a small one-story rear shed addition to this block that sits on a stone foundation, set back from the wall of the main block. The south elevation features no fenestration, while the boxed cornice is composed of a molded cap, bed molding, and square-edged fascia board. A rear one-story shed porch projects from the rear elevation, set back from the small rear addition. The screened porch features overhanging eaves, four vertical screened bays, and vertical-board siding below the screens and in the roof peak.

The east, or rear, elevation, is composed of the southern extension of the main block and two two-story ell additions (circa 1906 and 1910-15) that form a flush wall plane. A shed concrete block bathroom addition was added near the north corner circa 1960. The two-part ell additions extend four bays across with a one-story shed porch that stretches across three-quarters of the elevation. The porch features an asphalt-shingle shed roof and metal pole supports. A 2/2 wood window is located in both the north and south bays of the second story, while the four-bay-wide first story features two, central single-leaf doors divided by a lattice porch divider that was added when the dwelling was converted into a duplex. The northern central bay features a two-light-and-two-panel door, while the southern central bay is fit with a four-paneled door. Both feature metal storm doors. The southern most bay of the rear elevation of the ell, which is not sheltered by the porch, features paired 8/8 wood windows with a shared thin molded wood surround

## Crozet Avenue

and thin squared sill. A one-story concrete block bathroom addition infills the northernmost bay of the porch. It is illuminated with a 6/6 wood window. Novelty siding is exposed on the first story of the ell additions and no cornice brackets are present. However, cornice brackets matching those on the primary façade do extend across the cornice of the main block southern extension. The rear of the circa 1906 wing/extension to the facade features the shed one-story addition and screened porch noted in the description of the south elevation. The screen porch fills the space between the shed addition and rear porch of the ell; extending the depth of the ell. A single-leaf screened door and two screened bays, with a modern 6/6 window, delineate the porch; which was expanded to the east after its original construction. There is wide horizontal board cladding beneath the widow/screen level. The interior of the porch features two generations of German/novelty siding, presumably with the earlier siding cladding the north wall of the circa 1885 ell. Six-paneled wood single-leaf doors access the rear of the ca. 1906 wing/extension; while a six-paneled wood six-light and three-paneled single-leaf door accesses the south side of the kitchen ell. The six-paneled door also features molded surrounds with bulls-eye cornerblocks, while the northern wall door features a later square-edged surround with drip cap; suggesting that the door was added later. The ceiling is clad in beaded-board, with the extension to the east featuring a plywood grid ceiling. Two generations of wooden floorboards are also present. Interestingly, the door to the one-story shed addition is only access to this space (no access from the interior of the house); typical of early attached bathroom structures. It is set on a stone foundation.

### Interior Description

Constructed in five distinct phases, the dwelling at 1183 Crozet Avenue began as a two-story three-quarter Georgian side-hall plan circa 1882. The original block features a side-hall entry with stair and parlor on the first floor and a rear hall with two bedrooms on the second floor. Subsequent alterations have reconfigured the interior space, but evidence of the original floor plan remains discernable. A rear kitchen ell was added circa 1885, with the dwelling expanded to a four-bay main block circa 1906. A second rear ell was added to the north of the existing ell circa 1910-15. The later ell extends further north than the main block. Also circa 1910-15, an attached one-story shed bathroom was attached to the rear of the main block wing extension. The dwelling faces west.

Note: There are three primary molding/surround types located throughout the dwelling dating to significant additions to the structure. These moldings will from here forward in the description be called Type 1, Type 2, or Type 3.

Type 1 (circa 1882) is detailed with a thin central channel framed with quirked bevels and a square-edged backband/interior.

Type 2 (circa 1906) features a wide central torus with flanking channels and a square-edged backband/interior.

Type 3 (circa 1910-15) includes a central bolection molding shouldered by coves with a square-edged backband/interior.

Each type also features different generations of a bulls-eye corner block. Any variation will be noted in the description. A number of door surrounds and doors have been reused throughout the house as spaces were reconfigured.

### Original block, first floor:

Accessed through a late Greek Revival-style entrance, the original stair hall is dominated by a straight-flight appearing stair with a fancy-turned newel post with square base and turned finial. The stair actually turns to the left at the top, making it a quarter-turn stair; but it has been partially masked. The open wall stringer stair features decorative scroll-sawn stringer brackets, turned balusters, a smaller turned landing newel post, and square steps with rounded nosing and a cove molding. The stair also features a straight squat-oval handrail, and a vertical-molded-panel carriage. The stair rise is 7 ¾ inches, the stair run is 10 ¾ inches, and the tread width is 31 inches. The stair hall also features 4-inch oak floorboards running north-south, an under-stair closet with single-leaf flat-paneled door. The hall originally opened into the parlor on the north. However, this interior access point was sealed when the dwelling was converted to a duplex. The north and east walls of the hall is currently sheathed in modern faux-wood paneling. The remainder of the hall includes the original plaster and lath walls. The hall also opens to the right into the south parlor (added circa 1906) both at the foot of the stair and behind the stair. These openings feature Type 2 surrounds. Access to the rear ell is through the east wall door which features a Type 1 surround. The wall is detailed with modern stock crown molding and chair rail. The hall baseboards are later than the original construction of the hall. The baseboards are six ½-inches in height with a beaded cap. The only original baseboards in the space are along the stair wall and façade wall, which include a more elaborate ogee-molded cap.

Although no longer accessible from the primary stair hall, the north parlor was the only other room originally on the main floor of the dwelling. The space is defined by a plaster ceiling and walls and 2 ¼-inch oak floorboards laid north-south. Two original 6/6 windows pierce the west wall, detailed with Type 1 surrounds that feature a rounded-edge sill and a square apron with lower-edge bead. The window surrounds also feature bulls-eye cornerblocks. The rear, or east, wall features a single-leaf door with Type 1 molding that appears to be an original door to the exterior. It currently accesses the circa 1910 ell, which houses a kitchen on the first floor. The original doorway to the main stair hall has been infilled with a built-in bookcase dating to the ca. 1960s. It features open upper shelves with cabinets on the lower level and is finished with a scalloped-edge trim. Another door opening, which may have originally been a window, is centrally located on the north wall. The mitered opening features a 3 ¼-inch molding with a flat field and interior bead framed by a raised ovolo with square backband. Baseboards in the room are original on all but the rear/east wall. The

## Crozet Avenue

original boards stand 8 inches high and feature an elaborate molded 2-inch cap with a central cove, projecting ovolo cap, and ¼-round shoe. It appears that a fireplace was once on the rear wall, but has since been removed. Cuts in the floorboards and an exterior chimney stack suggest its previous existence. The newer rear wall baseboards are slightly simpler in profile than the original ones, standing 8 inches in height with a 1 ¾-inch ogee molded cap with quirk and ¼-round shoe. Other detailing in the room includes cast iron rim locks, metal radiators, scalloped wood window valance boxes, and a modern ceiling fan.

Original Block, second floor:

Accessed via the original quarter-turn stair in the entry hall, the second floor was original configured with a north-south running rear hall, accessing two bedroom chambers (now a bathroom and north bedroom). Substantially reconfigured, the second floor now features a small landing at the top of the steps with a double return stair to the left and right. The steps to the left were part of the original quarter-turn stair. The right, which was originally a solid wall, accesses the circa 1906 wing/extension bedroom. The steps were added to make the floors level. The original steps to the left at the top of the main stair now access a small bathroom with dressing room, located over the stair hall, and a rear ell bedroom. The ell dates to circa 1885 and is accessed via a step up from the hall. The hall's north wall was infilled when the spaces were divided into a duplex. A Type 2 surround details the door to the bathroom, a Type 1 surround is present on the door to the rear ell, and a flat surround with interior bead, set into the wall, is located on the opening to the wing/extension bedroom; suggesting a further reconfiguration of the space after the wing was added.

Originally a small bedroom or nursery, the only second floor bathroom dates to the ca. 1940s. A Type 1 window surround is located on the west wall, while a Type 2 door surround accesses the wing/extension bedroom on the south wall. The room features an inset porcelain tub, a wall sink and toilet. Black and white tiles are located on the walls to a tile chair rail. The room is divided into this bathroom section and a small dressing room with closet. The closet features a single-leaf two-panel door with Type 2 surround.

The older-style 8-inch high baseboard with an elaborate molded 2-inch cap with a central cove, projecting ovolo cap, and ¼-round shoe are located on the west wall, while the simpler 8-inch ogee-capped baseboard is located in the dressing room area. There is a small built-in shelf in the dressing room area, backing up to the tub. A Type 3 bolection surround is located on the door to the rear hall.

The second original bedroom space is located on the north end of the duplex, not accessible from the interior; as during the originally configuration. Originally accessed from the rear hall, the bedroom is now accessible only through a rear bedroom in the circa 1910-15 ell addition. The room is detailed similarly to its downstairs counterpart. There are two 6/6 wood windows on the façade, or west, wall and a similar window on the north wall. Each is detailed with a Type 1 surround. A small closet was added in the NE corner, accessed by a single-leaf louvered wood door with Type 2 surround. It is unclear if there was ever a door in the south wall. Similar to the first floor, a fireplace was probably originally located on the east wall. Interestingly, a Type 1 surround marks the east wall door to the ell; suggesting that it was reused. It is cut into the baseboard and there is a step up to the ell. The roughly square space is defined by a plaster ceiling and walls and 2 ¼-inch oak floorboards laid north-south. Baseboards in the room are original on all but the rear/east wall. The original boards stand 8 inches high and feature an elaborate molded 2-inch cap with a central cove, projecting ovolo cap, and ¼-round shoe. The newer rear wall baseboards are slightly simpler in profile than the original ones, standing 8 inches in height with a 1 ¾-inch ogee molded cap with quirk and ¼-round shoe. The room also features metal radiators, 2 ¾-to-4-inch pine floorboards, porcelain knobs, rim locks, and a modern flush-mount ceiling fixture.

Attic access is located in a small ceiling hatch in the south portion rear hall. It was not accessible at the time of survey.

Circa 1885 ell:

Constructed soon after the original dwelling, the circa 1885 rear ell addition features a first floor kitchen and a second floor bedroom. The first floor kitchen, accessed at the rear of the main stair hall and from the exterior on the rear of the house, includes multiple generations of trim and fixtures. The square-footprinted room features plaster ceiling and walls with peeling wallpaper, linoleum floors, circa 1960s sink and cabinetry with Formica countertops, and an earlier built-in cupboard, which may be original to the ell although it could also represent an infilled doorway. A pair of 8/8 wood windows are located above the sink on the rear/east wall. The added windows feature a scalloped wood window valance box. The window surrounds were not accessible because they were covered with plywood, but the sill features a rounded edge with flush square. A three-panel six-light door on the south wall accesses the rear screened porch. It features a 4 ½-inch-wide square-edged surround with plain trim. The rear exterior door features a Type 3 surround. There are two generations of bead-board on the walls, one thinner than the other. The thinner version appears to be older, with the thicker version also located in the circa 1910-15 ell kitchen. The built-in cabinet on the north wall features four pairs of open shelves, separated by a square-edged center mullion, with two lower shelves with two-paneled cabinet doors. The cabinet doors appear to be reused/retrofitted single-leaf doors (one is missing). The cabinet surround is a Type 3 surround, as does the west wall door to the stair hall. Other detailing in the room includes a ¼-round shoe molding, metal radiators, and a projecting chair rail with an oval ovolo cap. There is also a modern ceiling fan and flat wooden cabinets.

## Crozet Avenue

The second story is accessed through the main block second story rear stair hall/landing via a four-panel single-leaf door with Type 1 surround. The floor level is a step up from the hall. The bedroom space features plaster walls and ceiling, a 2/2 wood window on the east and south walls, and a closet addition in the northwest corner. Three-inch pine floorboards are laid east-west. Metal radiators are also present. A Type 1 surround is located on the closet and east wall/rear window, while a Type 2 surround is featured on the south wall window. A more elaborate 10-inch baseboard with molded ogee cap is located on the main walls and inside the closet, but the exterior closet features a later simple ogee-capped 9 1/4-inch baseboard.

Circa 1906 wing/main block extension:

The main block was expanded circa 1906 to include a south end parlor and a second story bedroom. The first floor parlor addition is accessed at the foot of the main stair, at the rear of the stair, and from the rear shed porch/exterior. The room is dominated by a projecting bay window on the west wall, while a pair of 2/2 windows mark the south wall. All of the door and window surrounds feature Type 2 moldings. The window surrounds include a rounded sill and square-edged apron with ogee edge molding. The baseboards stand 9 1/4-inches in height with a flat face, an ogee with quirked bed cap, and an ogee shoe molding. There is a fifteen-light door to the front stair hall and a four-panel door to the rear porch. There are metal radiators. Three-inch-wide pine floorboards run north-south and the walls and ceiling are covered with plaster.

The second floor of the wing addition includes a bedroom. It is accessed from the front bathroom and the stair hall. There is a 2/2 wood window on the west and south walls. The majority of the floors, plaster walls and ceiling, baseboards, and surrounds match the first floor parlor. Exceptions include an added closet on the north wall, which includes a Type 1 molding. Additionally, the door to the stair hall features a Type 3 molding.

Circa 1910-15 ell addition:

The second ell addition to the house includes a first floor kitchen, a rear stair, a rear bathroom addition, and a second floor bedroom. The kitchen space, which appears to have been outfitted as such in the 1960s, features a particle-board sub-floor with parquet vinyl flooring squares. The space is accessed through the north parlor and from the exterior rear shed porch. Circa 1960s cabinets and sink were installed against the enclosed straight-flight stair that runs along the rear/east wall. A stock ogee-crown molding caps the built-in fixture. The stair appears to have been added when the duplex was configured. The kitchen includes a 2/2 window on the east and north walls, a single-leaf entry to the front parlor on the west wall, and a single-leaf rear exterior door on the east wall. Additionally, a door is located near the Northeast corner, accessing the bathroom and stair. The door is stepped up from the main floor. The windows and doors all feature Type 3 surrounds, except the door to the parlor which features a Type 1 surround. The 6 3/4-inch window sills feature molded aprons, possibly reused from door surrounds. A circa 1920s built-in pantry cupboard is located along the south wall. Beaded-board measuring 3 1/4-inches rises to a chair rail level and is topped with a flattened 1 1/4-inch oval cap. A four-panel door opens to an under-stair closet with exposed stair carriage.

The rear bathroom addition, added circa 1960, features a tub, toilet, and wall sink. There is a stock 2-inch crown molding, faux-marble wall paneling, and a parquet vinyl floor. It is accessed by a flat 2-panel door. Built-in cabinets are located on the north wall.

Four-inch oak floorboards are located at the stair landing, which opens to the kitchen, the bathroom, and stair. The straight-flight stair, probably added circa 1960, features 3 1/4-to-3 1/2-inch vertical-board wall cladding on the interior/west wall and two-inch sheet beaded-board on the exterior/east wall. The sixteen wood stairs feature thirty-inch-wide treads with rounded nosing and 7 3/4-inches tall risers. A 1/4 oval cap tops the wall stringer. At the top of the stair, a vertical-board baluster screen separates the stair from the bedroom. It features mitered corners, a 1 1/4-inch 1/4-oval shoe, and a three-inch cap.

The ell bedroom features plaster walls with multiple generations of peeling paint and wallpaper. A 1980s wallpaper border with mallard ducks partially survives at the ceiling. The room features 4-inch pine floorboards, metal radiators, a closet, and a 2/2 window on the north, east, and west walls. Each features a Type 3 surround. The windows feature molded aprons similar to those on the first floor/kitchen. The baseboards are 8 1/4 inches high, including a modified ogee cap and a wide 1 1/4-inch 1/4-oval shoe molding. The closet, located on a projecting wall in the southwest corner, features a four-panel door with 4 1/4-inch horizontal beaded-siding

## Crozet Avenue

on the interior. The room currently provides the only access point to the original front bedroom.

The circa 1910-15 bathroom addition is not accessed from the interior of the house. It is accessible only from the rear screened porch behind the circa 1906 wing. The door was locked at the time of the survey.

### Basement:

The dwelling features a small, c. 1960 basement that appears to have been added when central heating was installed in the house. A narrow cellar entrance stair found on the western elevation leads to a doorway that provides access to the space from the exterior. There is no interior access to the basement. A majority of the approximately 12-by-12 foot space is located under the original c. 1882 section of the house, although it is accessed by a narrow passage carved out from underneath the c. 1906 addition. Cinderblocks form the walls and a section of the original 1880s foundation has been partially demolished to provide access to the space.

<i>Individual Resource Status:</i> <b>Single Dwelling</b>	<b>Contributing</b>	<i>Total:</i>	1
<i>Individual Resource Status:</i> <b>Office</b>	<b>Contributing</b>	<i>Total:</i>	1
<i>Individual Resource Status:</i> <b>Barbecue Pit</b>	<b>Contributing</b>	<i>Total:</i>	1
<i>Individual Resource Status:</i> <b>Kenel</b>	<b>Non-Contributing</b>	<i>Total:</i>	1
<i>Individual Resource Status:</i> <b>Chicken coop</b>	<b>Contributing</b>	<i>Total:</i>	1

## 1185 Crozet Avenue 002-5101

*Other DHR Id #: 002-5087-0173*

*Primary Resource Information:* **Single Dwelling, Stories 1.00, Style: Colonial Revival, ca 1948**

July 2006: Constructed of concrete block with aluminum siding, the one-story circa 1948 dwelling presents a gable-front-and-wing form. Set on a solid poured concrete foundation, the dwelling is capped by an asphalt-shingle roof. Detailing includes a boxed wood cornice with decorative molding, returns, and scalloped vergeboard. Facing west, the primary façade features a central 6/6 wood window on the projecting gable. The window is detailed with operable louvered wood shutters, square-edged wood surrounds with mitered corners, and projecting square-edged wood sills. A concrete retaining wall with metal balustrade and straight-flight stair accesses the basement below the projecting wing. There is a two-light sliding wood window with a square-edged wood sill and a single-leaf fifteen-light wood door on this level. The wing portion of the primary façade is dominated by a one-story shed porch supported by decorative metal posts on each corner, a central metal handrail, and late-capped concrete steps. The porch shelters a single-leaf six-light, elongated two-panel wood door and a thirty-five-light fixed picture window. There is a thin molded surround and thin square-edged wood sill. There is also a slate-capped concrete porch floor.

The north elevation includes a 6/6 wood window in the westernmost bay, while smaller 6/6 wood windows pierce the central and eastern bays. Each features a mitered square-edged wood surround and square sill. The basement level is illuminated with a two-light wood sliding window and a three-light wood awning window. There is no decorative scalloped vergeboard on this elevation.

The south elevation is dominated by a central exterior-end shouldered brick chimney that is constructed of stretcher bond brick with a corbelled cap. There is no other fenestration on the main block and no decorative vergeboard. The side elevation of the front porch features beaded-board in the gable on this elevation. A one-story shed porch, set on a concrete block foundation, projects to the rear displaying three sets of jalousie lights on the south side.

The rear, or east, elevation consists of the gable-roofed portion of the main block and a shed one-story porch that stretched across the entire "wing." The gabled portion is pierced with an off-center 6/6 wood window. The window is detailed with square-edged wood surrounds with mitered corners and a projecting square-edged wood sill. A small window opening is located in the gable peak, but the window is missing and the opening has been boarded-up from the interior. The surround is the same as the first story window. The gable is detailed with scalloped decorative vergeboard and a molded wood cornice with returns. The porch addition is accessed by a single-leaf metal door with jalousie lights. There is a single bay of jalousie windows to the north of the door and four slightly larger jalousie bays to the south. A concrete sill supports the windows. The interior of the porch, which displays the only section of the house with its original concrete block construction, features two 6/6 wood windows on the rear and a single-leaf door into the gabled projection. Each features a square-edged surround with interior bead. The porch interior features a poured concrete floor, a plywood grid-patterned ceiling, and a modern ceiling fan.

The interior of 1185 Crozet Avenue contains approximately 688 square feet, according to county tax assessment records. The compact single-floor plan features a living room, kitchen, and bedroom with attached bathroom space.

The living room, which is entered directly from the exterior porch, features a rectangular footprint, plaster walls and ceiling, and

## Crozet Avenue

two-and-a-half-inch oak floorboards running north-south. There is brass hardware with skeleton key locks throughout the house. The room features a thirty-five light picture window, the primary door, two rear wall 6/6 wood windows, and direct access to the kitchen and bedroom on the north wall. The surrounds of the windows and doors each feature a square backband ornamented with an ovolo which falls to a flat mitered field and is resolved with a bead. The window sills are further delineated with square-edged sills, a beaded filet, and a flat apron terminated with a beaded lower edge. Flush baseboards stand six-inches in height and feature a beaded cap and quarter-round shoe molding. Several sections of the baseboards have also been modified to incorporate the central-air vents. A central fireplace dominates the south wall and features a projecting chimney breast, a stretcher-bond brick veneer face, and a beveled fireback. There is a flush soapstone hearth with a flat wood two-and-a-quarter-inch mitered frame. A single built-in bookcase has been constructed in the southeast corner of the room, flanking the fireplace. The shelving unit includes a set of cabinets on the ground level with square paneled doors. Decorative elongated cove-cornered panels flank the doors. A semi-circular arch with central carved keystone details the three inset shelves. A single-leaf opening accesses the kitchen in the northeast corner, while a small niche, defined by an archway in the ceiling, accesses the bedroom in the northwest corner. The niche includes a small coat-closet.

Located in the northwest corner of the house, the bedroom features a 6/6 wood window on the north and west walls. The surrounds, flooring, hardware, and walls/ceilings are similar to those found in the living room space. The south wall includes a closet, while the east wall features both a closet and bathroom. All feature flat one-panel doors.

The small bathroom measures 6'2" by 4'3 1/2" and features the original sink, bathtub, and toilet fixtures. A small 6/6 wood window is located on the north wall. Linoleum flooring, porcelain tile, and a built-in mirrored cabinet further define the space.

The kitchen space, which is accessed from the living room and the rear porch, is rectangular in plan. There is a central small 6/6 wood window on the north wall, as well as built-in cabinets that wrap to the east wall. The cabinets are original on the bottom level, constructed of "St. Charles" metal cabinets. The metal-edged counter with inset porcelain sink is also original. The upper cabinets were added or replaced in the 1960s with flush wood cabinets. A decorative wood valance screen with scalloped edge projects from the window. The east wall includes three single-panel closet doors. Baseboards, walls, and surrounds match the rest of the house, except for the single-leaf door to the rear porch. The surround is simpler in form with a mitered square surround with interior bead.

The attic and basement were not accessed at the time of the survey.

<i>Individual Resource Status:</i> <b>Single Dwelling</b>	<b>Contributing</b>	<i>Total:</i>	1
<i>Individual Resource Status:</i> <b>Garage</b>	<b>Contributing</b>	<i>Total:</i>	1

### 1186 Crozet Avenue 002-2097

*Other DHR Id #:* 002-5087-0024

*Primary Resource Information:* **Commercial Building, Stories 2.00, Style: Colonial Revival, ca 1925**

2007: The 2-story, 5-bay-wide Colonial Revival-style commercial building features a shed- and parapet-roof and a hip-roofed front entry porch. Colonial Revival details include a molded cornice, door surround with pilasters, and paired Tuscan porch columns. Other detailing includes a single-leaf entry door, 9/9 and 6/6 wood windows, stucco siding, and a parged concrete foundation. There is a rear entrance. A wooden sign is located on the primary facade.

<i>Individual Resource Status:</i> <b>Commercial Building</b>	<b>Contributing</b>	<i>Total:</i>	1
---	---------------------	---------------	---

### 1189 Crozet Avenue 002-5091

*Other DHR Id #:* 002-5087-0023

*Primary Resource Information:* **Commercial Building, Stories 1.00, Style: Commercial Style, ca 1946**

The historic dry cleaning business features a one-story main block with a quonset hut rear addition, a furnace addition, and a cleaning room wing. The main building is three bays wide with one-light fixed windows (each window originally containing 15 panes) and a central single-leaf metal door. There is a flat roof; and appears to be constructed in cinderblocks painted white with modern vinyl siding. The quonset hut addition is metal while the other two additions are concrete block. A sign is located on the front facade.

<i>Individual Resource Status:</i> <b>Commercial Building</b>	<b>Contributing</b>	<i>Total:</i>	1
---	---------------------	---------------	---

### 1191 Crozet Avenue 002-5087-0029

*Primary Resource Information:* **Office, Stories 1.00, Style: Commercial Style, ca 1945**

Set on a concrete block foundation, the one-story brick office features concrete block walls, a flat roof with brick parapet, and two exterior end chimneys (brick and concrete block). The facade, which faces west, features a central single-leaf paneled-with-lights door, flanked by two pairs of 8/8 wood windows. There is a concrete stoop, brick detailing around the door, vinyl louvered shutters, and concrete lug sills detailing the facade. There is a 6/6 wood window on the south elevation. The building presents a rectangular

## Crozet Avenue

footprint.

*Individual Resource Status:* **Office** **Contributing** *Total:* 1

### 1200 Crozet Avenue 002-2096

*Other DHR Id #:* 002-5087-0025

*Primary Resource Information:* **Commercial Building, Stories 1.50, Style: Commercial Style, ca 1910**

The small front-gabled, stuccoed-clad frame building features a gable-end entrance and 1-story front porch. There are two commercial spaces within the main building, including a large store space and smaller side barber shop. The store space features an inset entry with beveled display windows and a single-leaf door. The Barber shop space features an off-center single-leaf entry and four-light fixed windows. There are three-light transoms and 2/2 second story windows (and some on the side elevation that have been blocked). Overhanging eaves, a boxed wood cornice, an interior-end brick chimney, and a one-story three-bay porch with stucco-clad posts further define the building. Building has been remodeled many times.

*Individual Resource Status:* **Commercial Building** **Contributing** *Total:* 1

### 1205 Crozet Avenue 002-5087-0030

*Primary Resource Information:* **Commercial Building, Stories 1.00, Style: Commercial Style, ca 1953**

The one-story concrete block building features a flat roof with concrete parapet cap, a brick stretcher primary facade veneer, and rectangular footprint. The three-bay primary elevation faces west and is pierced with a central metal one-leaf door with light, and flanking one-light fixed windows with rowlock sills. A one-bay flat-roofed metal portico with decorative metal supports shelters the entry. The space is divided into two businesses, with the south side featuring canvas window awnings. Steep concrete steps reach from the main entry to the street/parking area. The side elevations feature multi light industrial metal windows with concrete sills, while the rear includes a loading dock, set under a shed porch.

*Individual Resource Status:* **Commercial Building** **Contributing** *Total:* 1

### 1207 Crozet Avenue 002-5087-0031

*Primary Resource Information:* **Office, Stories 1.00, Style: Colonial Revival, ca 1939**

Set on a solid foundation (not visible), the one-story, three-bay-wide office features vinyl cladding and a side-gabled asphalt-shingle roof. The single-pile main structure features a gabled hyphen and rear gabled addition of the same materials. The primary facade, facing west, is symmetrically fenestrated with a central single-leaf metal paneled-with-lights-door and flanking 1-light fixed windows. A gabled one-bay portico with turned posts shelters the entry, while the windows are detailed with paneled vinyl shutters and thin aluminum surrounds. Other detailing includes overhanging eaves, an aluminum cornice, and concrete double-entry steps. The modern hyphen and rear addition date to circa 1980.

*Individual Resource Status:* **Office** **Contributing** *Total:* 1

### 1210 Crozet Avenue 002-5087-0026

*Primary Resource Information:* **Post Office, Stories 1.00, Style: Other, ca 1983**

6/07: The one-story masonry building faces east and presents a rectangular footprint. The building is constructed on concrete block and features a brick stretcher bond front veneer forming a false front parapet detailed with decorative brick cornice. The building is capped with a front-gabled roof clad in asphalt shingles. Fenestration on the facade consists of a central single-leaf plate-glass door with fixed one-light metal window sidelights. A three-part fixed metal window is located to the south, while three small one-light fixed metal windows pierce the wall to the north of the entry. A louvered metal vent is located above the door, while a U.S. Post Office sign is applied near the cornice. There is a rear elevation wood-frame shed loading dock. There is no fenestration on the side elevations.

*Individual Resource Status:* **Post Office** **Non-Contributing** *Total:* 1

### 1214 Crozet Avenue 002-5087-0027

*Primary Resource Information:* **Bank, Stories 1.00, Style: Other, ca 1981**

6-2007: The modern bank building is a one-story masonry structure with a flat roof and central barrel vault. The main facade, which faces east, features an inset porch on the SE corner, signage on the wall, and 3 central fixed metal full-height plate-glass windows. A wide cornice fascia surrounds the building. It is constructed of stretcher bond brick and features a plate glass door, sheltered by the porch, on the south elevation. The two-bay porch is supported by brick posts. The north side of the building features a drive-up teller window and three elongated fixed-light windows. A three-bay porte cochere features a flat roof and brick post supports. A sidewalk/ramp is located on the east side.

*Individual Resource Status:* **Bank** **Non-Contributing** *Total:* 1

## Crozet Avenue

### 1220 Crozet Avenue 002-2082

Other DHR Id #: 002-5087-0028

*Primary Resource Information:* **Warehouse, Stories 6.00, Style: Other, ca 1929**

Large 6-story, 5-bay-wide, 3-bay-deep concrete building originally constructed as a cold storage facility. Bays and floors are marked by raised concrete strips. Entrance is on the south, beneath a canopy. Each unit has a sliding door/window facing out. 1-story tower (with air conditioning unit) is on the rooftop.

6/07:

The large 6-story, 5-bay-wide, 3-bay-deep concrete building was originally constructed as a cold storage facility for fruit. The building's bays and floors are marked by raised concrete strips. The entrance is on the south, beneath a flat metal canopy. Each unit has a sliding door/window facing out with small balcony with metal balustrade. A one-story tower (with air conditioning unit) is on the rooftop. The ground floor features sliding metal windows with no balcony. The primary entrance, set beneath the three-bay metal canopy, is a double-leaf plate-glass door with fixed full-height sidelights. A concrete ramp with solid concrete balustrade and a set of stairs accesses the entry. There are 24 units on the facade.

*Individual Resource Status:* **Warehouse** **Contributing** *Total:* 1

### 1248 Crozet Avenue 002-5087-0080

*Primary Resource Information:* **Commercial Building, Stories 1.00, Style: Other, ca 2000**

The one-story modern convenience store/gas station is set at an angle to the corner of the lot, maximizing entries from two main streets. The stretcher bond brick structure is capped by a clipped hip standing-seam metal roof. A two-part cupola rises from the center of the roof with a boxed base, louvered vents, a boxed cornice, and overhanging eaves. A central clock tower with square base and pyramidal roof extends from the hipped roof. The five-sided building features a central double-leaf plate-glass door capped by a round fixed window and flanked by two 12-light fixed windows with half-round transoms. Each window is detailed with an arched brick lintel and soldier bond sill. Two similar windows pierce the two flanking elevations. No fenestration is on the two rear elevation except an single-leaf metal flush door. Sheltering the main facade, a three-bay porte cochere projects from the building. It extends two bays and is supported by wood posts on brick piers. The building and porte-cochere are detailed with a boxed cornice, flush fascia, and decorative eave brackets.

*Individual Resource Status:* **Commercial Building** **Non-Contributing** *Total:* 1

### 1257 Crozet Avenue 002-5087-0081

*Primary Resource Information:* **Rescue Squad, Stories 1.00, Style: Other, ca 1950**

The primary rescue square building is a two-story concrete block structure with a brick stretcher bond facade veneer. Featuring a rectangular footprint with flanking recessed stair tower, the building faces NW. The first story of the facade is pierced with three symmetrical metal roll-up vehicular doors with lights. The second story is pierced with two-light metal sliding windows set on lug concrete sills. There is a side elevation single-leaf door, a flat roof, and an interior-end brick chimney. A wood deck extends across the rear. Two-light metal sliding windows and 2-light windows are located on the six-bay side elevations.

*Individual Resource Status:* **Rescue Squad** **Contributing** *Total:* 2

### 1260 Crozet Avenue 002-2088

Other DHR Id #: 002-5087-0082

*Primary Resource Information:* **Single Dwelling, Stories 2.00, Style: Other, ca 1920**

2-story, 3-bay, gable-roofed frame house with cross gable on north, 1-story, shed-roofed north wing and 1-story porch. Windows have 6/6 sash.

2007: The 1.5 story wood-frame dwelling sits on a poured concrete foundation and is capped by a cross-gabled standing-seam metal roof. There is a rear gabled ell and a one-story hipped wing. Clad in aluminum siding, the dwelling faces SE with a primary facade featuring an off-center single-leaf wood-with-lights door and a 6/6 wood window on the first floor. A second 1/1 window pierced the flush one-story wing. The upper story features a pair of central 6/6 wood windows with a square-edged surrounds and sill. An off-center hipped porch shelters 3/4 of the facade and all of the wing. It is three bays wide and supported by decorative metal posts. Other detailing on the dwelling includes overhanging eaves, a thin boxed wood cornice, and a rear one-story addition with shed porch wing. There is a central interior brick chimney and an exterior-end concrete block chimney on the rear addition.

*Individual Resource Status:* **Single Dwelling** **Contributing** *Total:* 1

*Individual Resource Status:* **Shed** **Contributing** *Total:* 1

*Individual Resource Status:* **Garage** **Contributing** *Total:* 1

### 1266 Crozet Avenue 002-2089

Other DHR Id #: 002-5087-0083

## Crozet Avenue

*Primary Resource Information:* **Single Dwelling, Stories 1.00, Style: Queen Anne, ca 1900**

1-story, 2-bay, frame house with tall hipped roof with pressed tin shingles. Projecting pedimented bay is on the northeast. 1-story porch is set beneath porch eaves and has turned posts, rails and spindled below cornice. Two doors on front, one with transom. Porch on rear is similar to front one.

2007: The one-story Queen Anne style dwelling is a wood-frame asbestos shingle-clad structure capped by a hipped roof with pressed metal shingles. The five bay structure faces SE and features an off-center projecting gable with three-sided bay. An inset porch supported by turned wood posts extends across the remaining wing of the facade. A single-leaf door with one-light transom is located on each side of the porch's interior corner. Detailing on the porch includes turned balusters, scrolled posts brackets, and a spindle work screen. The facade is further pierced with 2/2 wood windows. Other detailing includes a boxed wood cornice, rear corner inset porch with Queen Anne detailing, and a side elevation projecting boxed bay. The dwelling sits on a brick pier foundation that has been infilled with concrete.

<i>Individual Resource Status:</i> <b>Single Dwelling</b>	<b>Contributing</b>	<i>Total:</i>	1
<i>Individual Resource Status:</i> <b>Garage</b>	<b>Contributing</b>	<i>Total:</i>	1

### 1278 Crozet Avenue 002-2090

*Other DHR Id #:* **002-5087-0084**

*Primary Resource Information:* **Single Dwelling, Stories 2.00, Style: Other, ca 1870**

2-story, 3-bay, double-pile, gable-roofed frame house with tin roof. 1-story porch has turned posts, brackets, and turned rails. Windows have 9/9 sash. 1-story, 3-bay wing is on the rear.

2007: The two-story wood-frame I-house sits on a stone foundation and is capped by a side-gabled standing-seam metal roof. Clad in asbestos shingles, the three-bay double pile dwelling is pierced with a central single-leaf door and 6/6 wood windows. A five-bay hipped porch on brick piers shelters the first story, supported by turned posts and balusters. There is a one-story rear gabled ell and a rear one-story shed porch overhang. Detailing includes decorative gable cornice returns, fixed vinyl shutters, square-edged surrounds with a molded backband, decorative scrolled brackets and two interior-end brick chimneys.

<i>Individual Resource Status:</i> <b>Single Dwelling</b>	<b>Contributing</b>	<i>Total:</i>	1
<i>Individual Resource Status:</i> <b>Foundation</b>	<b>Contributing</b>	<i>Total:</i>	1

### 1282 Crozet Avenue 002-5087-0086

*Primary Resource Information:* **Single Dwelling, Stories 1.00, Style: Other, ca 1961**

The one-story side-gable dwelling sits on a poured concrete foundation and is capped by an asphalt-shingled roof. The main dwelling consists of two separate blocks clad with a permastone veneer and vinyl siding. A single-leaf entry is on the side elevation, sheltered by an inset porch with metal posts. The main block features a central one-light window with 6/6 sidelights and a metal awning. The wing block is pierced with 1/1 vinyl windows. Other detailing includes an exterior-end brick chimney and a rear gabled ell.

<i>Individual Resource Status:</i> <b>Single Dwelling</b>	<b>Non-Contributing</b>	<i>Total:</i>	1
<i>Individual Resource Status:</i> <b>Shed</b>	<b>Non-Contributing</b>	<i>Total:</i>	1

### 1284 Crozet Avenue 002-5087-0085

*Primary Resource Information:* **Single Dwelling, Stories 2.00, Style: Italianate, ca 1900**

The circa 1900 two-story 4-square dwelling sits on a poured concrete foundation and is capped by a hipped standing-seam metal roof with center gable. Detailed with Italianate-style cornice brackets, the two-bay wide and two-bay deep dwelling features an off-center single-leaf door with 1-light transom and 2/2 wood windows. Detailing includes a round light in the center gable, a boxed cornice, square-edged surrounds and lipped lintels, and a three-bay porch with turned posts.

<i>Individual Resource Status:</i> <b>Single Dwelling</b>	<b>Contributing</b>	<i>Total:</i>	1
<i>Individual Resource Status:</i> <b>Shed</b>	<b>Contributing</b>	<i>Total:</i>	1

### 1286 Crozet Avenue 002-2092

*Other DHR Id #:* **002-5087-0088**

*Primary Resource Information:* **Single Dwelling, Stories 1.50, Style: Bungalow/Craftsman, ca 1913**

1 1/2-story, 3-bay, gable-roofed frame building with wide eaves, central hip-roofed dormer, exterior brick chimney, and shed-roofed rear porch. 1-story gable-roofed wing is on the northwest.

2007: Set on a poured concrete foundation, the one-and-a-half story wood-frame dwelling is capped by a side-gabled steeply pitched asphalt-shingle roof with central hipped inset dormer. A full-width inset porch, accessed by wood steps, has been enclosed with one-light fixed windows with horizontal 2/2 sidelights and a central single-leaf door with flanking 2/2 sidelights. A pair of 9/1 wood windows lights the dormer. The dwelling features a wood-shingled gable peak, a diamond peak vent, a molded cornice with wide returns, and overhanging eaves. A rear 1.5 story gabled ell features an hipped dormer-like extension on a hipped one-story

## Crozet Avenue

addition with paired horizontal 4/4 wood windows in the dormer. The first story of the extension features a 6/6 wood window. Other detailing on the weatherboard-clad dwelling includes an interior-end and exterior-end brick chimney. A one-story wing extends from the rear ell.

<i>Individual Resource Status:</i> <b>Single Dwelling</b>	<b>Contributing</b>	<i>Total:</i>	1
<i>Individual Resource Status:</i> <b>Garage</b>	<b>Contributing</b>	<i>Total:</i>	1

### 1292 Crozet Avenue 002-2091

*Other DHR Id #:* **002-5087-0089**

*Primary Resource Information:* **Single Dwelling, Stories 2.00, Style: Other, ca 1890**

2-story, 2-bay, hip-roofed house with central cross gable and bracketed eaves. 1-story porch has turned posts, brackets, and turned rails. Shed-roofed rear wing has small deck.

2007:

Set on a solid brick foundation, the two-story wood-frame dwelling is capped by a hipped roof with center gables and a recessed cross-gabled wing. A rear addition features a clipped gable, while a one-story gabled ell projects to the NW. The four-bay facade features an off-center single-leaf door and symmetrically placed 2/2 wood windows, set beneath a center gable. Detailing includes square-edged surrounds with square projecting sills and lipped lintels. A hipped wrap-around porch set on brick piers is supported by turned posts with brackets and turned balusters. Other detailing includes asphalt-shingles, a wide fascia, boxed cornice, and decorative round vents. Interior-end and central-interior brick chimneys rise from the roofline.

<i>Individual Resource Status:</i> <b>Single Dwelling</b>	<b>Contributing</b>	<i>Total:</i>	1
<i>Individual Resource Status:</i> <b>Shed</b>	<b>Contributing</b>	<i>Total:</i>	1

### 1302 Crozet Avenue 002-2093

*Other DHR Id #:* **002-5087-0090**

*Primary Resource Information:* **Single Dwelling, Stories 2.00, Style: Late Victorian, ca 1876**

2007: Set on a solid stucco concrete foundation, the two-story wood-frame dwelling is capped by a gabled roof with standing-seam metal. Clad in vinyl siding, the dwelling presents a gable-front and wing form with 2/2 windows, overhanging eaves, and a boxed aluminum cornice. An enclosed shed porch features a metal awning and jalousie lights as well as a hipped one-story enclosed addition with 3/1 lights on the side elevation. The single-pile dwelling also features a central-interior brick corbeled chimney and an exterior-side brick chimney, and a one-story gabled ell with multiple shed additions. The primary facade features a one-bay projecting gable and two-bay wing, covered completely on the first floor by the enclosed porch.

<i>Individual Resource Status:</i> <b>Single Dwelling</b>	<b>Contributing</b>	<i>Total:</i>	1
<i>Individual Resource Status:</i> <b>Barbecue Pit</b>	<b>Contributing</b>	<i>Total:</i>	1
<i>Individual Resource Status:</i> <b>Garage</b>	<b>Contributing</b>	<i>Total:</i>	1
<i>Individual Resource Status:</i> <b>Tenant House</b>	<b>Contributing</b>	<i>Total:</i>	1

### 1408 Crozet Avenue 002-2142

*Other DHR Id #:* **002-5087-0087**

*Primary Resource Information:* **School, Stories 1.00, Style: Colonial Revival, ca 1923**

1-story, 11-bay-wide brick building in the Colonial Revival style. Bays marked by brick pilasters with concrete caps and bases. Central pedimented portico on the east has Doric columns on raised brick bases. Brick parapet runs along the roofline. Basement story on the south is partially exposed. Windows have 12/12 sash; some are paired.

2007: Set on a poured concrete foundation, the American bond brick school is detailed in the Colonial Revival style. Capped by a flat on hipped roof with partial tile shingles, the school features a dominant central gable portico with closed tympanum and Tuscan columns on concrete piers. The portico, with central half-round louvered vent, shelters a triple entry with central double-leaf doors and flanking single-leaf doors. Each is paneled with lights and capped by a transom (4-light central and 2-light on sides). A decorative brick panel caps the entrance, including a soldier box with square corner blocks and central diamond motif. Flanking the portico are two pairs of 6/6 windows. Decorative brick pilasters, rowlock sills, square-edged wood surrounds, a boxed wood cornice, and a soldier watertable further define the central block. Six-light wood windows pierced the basement level. The five bay main block is flanked by two-bay wings, each pierced with two pairs of paired 4/4 wood windows. A modern 1960s rear addition projects to the NW.

<i>Individual Resource Status:</i> <b>School</b>	<b>Contributing</b>	<i>Total:</i>	1
--	---------------------	---------------	---

### 989 Crozet Avenue 002-5087-0003

*Primary Resource Information:* **Single Dwelling, Stories 1.00, Style: Colonial Revival, ca 1936**

Set on a solid, concrete block foundation, the one-story concrete block and wood-frame dwelling is capped by a side-gabled asphalt-shingle roof. The original block features a projecting central gable and side inset porch. Detailing in the projecting gable

## Crozet Avenue

includes a tripartite window with fixed central portion and 1/1 sidelights and a peak 1/1 window. The single-leaf entry is sheltered by the inset porch and features a single-light sidelight and metal balustrade. A 1.5-story side-gabled wing addition, added in 1991, extends from the side. It is clad in weatherboard and capped by a steep roof. A boxed bay window projects from the facade, lit with a bank of three 1/1 windows. The wing also features an exterior-end concrete block chimney. There is a skylight on the addition roof.

<i>Individual Resource Status:</i> <b>Single Dwelling</b>	<b>Contributing</b>	<i>Total:</i> 1
<i>Individual Resource Status:</i> <b>Garage</b>	<b>Contributing</b>	<i>Total:</i> 1
<i>Individual Resource Status:</i> <b>Shed</b>	<b>Contributing</b>	<i>Total:</i> 1
<i>Individual Resource Status:</i> <b>Tenant House</b>	<b>Contributing</b>	<i>Total:</i> 1

## Dunvegan Lane

### 5797 Dunvegan Lane 002-2114

*Other DHR Id #:* 002-5087-0005

*Primary Resource Information:* **Single Dwelling, Stories 1.50, Style: Bungalow/Craftsman, ca 1912**

A 1-1/2-story, 3-bay, rock-faced-concrete-block, Craftsman-style single dwelling, with a side-gable asphalt-shingle roof, two brick chimneys (one exterior-end and one central-interior) and a rear shed porch that is partially enclosed. The three-bay front porch is supported with battered posts on concrete piers. It shelters a central entry door. Other details include symmetrical fenestration, 6/1 and 4/4 wood windows, a large front gabled dormer, mitered square surrounds, and a slate porch deck. There is a rear bulkhead cellar entry. The exterior-end brick chimney sits on a rock-faced concrete block base.

<i>Individual Resource Status:</i> <b>Single Dwelling</b>	<b>Contributing</b>	<i>Total:</i> 1
<i>Individual Resource Status:</i> <b>Garage</b>	<b>Contributing</b>	<i>Total:</i> 1

### 5814 Dunvegan Lane 002-5087-0004

*Primary Resource Information:* **Single Dwelling, Stories 2.00, Style: Other, ca 1930**

The two-story I-house, under renovation, was constructed circa 1930. Set on a concrete block foundation, the weatherboard-clad dwelling features a three-bay facade with central entry and 2/2 wood windows. An off-center three-bay porch includes a crossed-balustrade and turned posts with a side entry. The double-pile dwelling also features a side-gabled standing-seam metal roof, square-edged wood surrounds and sills, and a boxed wood cornice with bed molding. There is a one-story gabled ell with inset side porch.

<i>Individual Resource Status:</i> <b>Single Dwelling</b>	<b>Contributing</b>	<i>Total:</i> 1
<i>Individual Resource Status:</i> <b>Garage</b>	<b>Contributing</b>	<i>Total:</i> 1

### 95812 Dunvegan Lane 002-5087-0006

*Primary Resource Information:* **Single Dwelling, Stories 2.00, Style: Colonial Revival, ca 1910**

The two-story Colonial Revival dwelling is a two-bay side-gabled structure set on a solid foundation with asphalt-shingle roof. Clad in asbestos shingles, the dwelling features one-story wings and a rear full-width shed porch. One wing features a gable on hip roof connected to the main block via a side-gabled hyphen, while the second wing is directly attached and features a flat-capped half-hipped roof with mechanical access and roof balustrade. The primary facade features an off-center entry sheltered by a flat-roofed stylistic portico with roof balustrade, fluted Tuscan posts, and a dentiled entablature. Other detailing includes a single-leaf door with three-light transom and decorative screen, 6/1 and 4/1 wood windows on the main block, and a boxed wood cornice with molding. Paneled operable wood shutters, lipped lintels, and a front deck with brick posts further detail the dwelling. A fixed one-light window with 4/4 sidelights pierces the hipped wing.

<i>Individual Resource Status:</i> <b>Single Dwelling</b>	<b>Contributing</b>	<i>Total:</i> 1
<i>Individual Resource Status:</i> <b>Shed</b>	<b>Contributing</b>	<i>Total:</i> 2
<i>Individual Resource Status:</i> <b>Carport</b>	<b>Non-Contributing</b>	<i>Total:</i> 1

## Jarman's Gap Road

### 5853 Jarman's Gap Road 002-5087-0040

*Primary Resource Information:* **Single Dwelling, Stories 1.00, Style: Bungalow/Craftsman, ca 1930**

The one-story concrete block dwelling sits on a poured concrete foundation and is capped by a hipped asphalt-shingle roof. Set on a raised basement, built into the hill, the dwelling features a three-bay facade and two-bay side elevations. A central single-leaf entry is flanked by 1/1 vinyl windows and sheltered by a one-bay gabled porch with battered posts on brick piers. Vertical-boarding is located on the porch peak, while overhanging eaves, exposed rafter tails, a six-light basement window, and aluminum surrounds and

## Jarman's Gap Road

sills further define the dwelling. A rear shed addition projects to the south, accessed by steps.

*Individual Resource Status:* **Single Dwelling** **Contributing** *Total:* 1

### 5857 Jarman's Gap Road 002-5087-0041

*Primary Resource Information:* **Single Dwelling, Stories 1.50, Style: Bungalow/Craftsman, ca 1930**

Set on a poured concrete foundation, the one-and-a-half story wood-frame dwelling is capped by a front-gabled asphalt-shingle roof. Clad in asbestos shingles, the dwelling features a central single-leaf entry flanked by 6/1 wood windows. Built into the hill, the dwelling is further detailed with overhanging eaves, a wood cornice, exposed rafter tails, and a rear hipped addition with porch, open to the basement level.

*Individual Resource Status:* **Single Dwelling** **Contributing** *Total:* 1

### 5865 Jarman's Gap Road 002-2118

*Other DHR Id #:* **002-5087-0042**

*Primary Resource Information:* **Single Dwelling, Stories 1.50, Style: Bungalow/Craftsman, ca 1928**

A 1-1/2-story, 3-bay, double-pile, Craftsman-style house, with a side-gable roof, open cornice, and large, complex front dormer. Knee-brace brackets support the overhanging eaves. Triangular-shaped, louvered attic vents are located in gable end.

2007: Set on a poured concrete foundation, the 1.5-story stucco-clad dwelling is capped by a side-gabled roof with pressed metal shingles. The facade is dominated by a double gabled dormer with hyphen that is centrally located on the roof. A shed porch with battered posts on brick piers shelters the first story, which features a central single-leaf door and flanking three-part windows, including a central 4/1 with 3/1 sidelights. The upper story features a pair of 3-light casements in each dormer and three three-light casements in the hyphen. Other detailing includes wide overhanging eaves, exposed rafter tails, triangular eave brackets on the dormers, square-edged surrounds with a squared raised backband, and triangular louvered dormer vents. A central-interior and exterior end brick chimney both rise from the roofline. A rear deck extends to the south, as does a shed boxed bay, while a modern wood-frame addition with basement garage and upper story screened porch projects to the west.

*Individual Resource Status:* **Single Dwelling** **Contributing** *Total:* 1

*Individual Resource Status:* **Garage** **Contributing** *Total:* 1

*Individual Resource Status:* **Shed** **Contributing** *Total:* 1

## Jeremiah Lane

### 5906 Jeremiah Lane 002-2137

*Other DHR Id #:* **002-5087-0060**

*Primary Resource Information:* **Single Dwelling, Stories 1.50, Style: Bungalow/Craftsman, ca 1930**

This structure is six bays wide, covered in a hipped metal roof, and is clad in weatherboard siding.

2007: Set on a solid parged foundation, the 1.5-story bungalow features weatherboard cladding, a hipped standing-seam metal roof, and a central shed wall dormer with half-hipped roof. There is an off-center one-bay shed porch with wood posts and a wood deck, overhanging eaves, exposed rafter tails, square-edged surrounds with lipped lintels, and 3/1 wood windows. A single-leaf entry accesses the interior from the porch. A cellar entry and central-interior brick chimney also define the Craftsman style dwelling.

*Individual Resource Status:* **Single Dwelling** **Contributing** *Total:* 1

*Individual Resource Status:* **Garage/Dwelling** **Contributing** *Total:* 1

*Individual Resource Status:* **Shed** **Contributing** *Total:* 1

### 5909 Jeremiah Lane 002-5087-0059

*Primary Resource Information:* **Single Dwelling, Stories 1.00, Style: Other, ca 1956**

Set on a solid, concrete block foundation, the one-story wood-frame dwelling features weatherboard cladding, a side-gabled asphalt-shingle roof, and an off-center front-gabled porch. The three bay wide and three bay deep dwelling is accessed by a single-leaf door flanked by 6/6 wood windows. There is a single one-light fixed window with 4/4 sidelights. Thin molded wood surrounds and a central-interior concrete block chimney further define the dwelling.

*Individual Resource Status:* **Single Dwelling** **Contributing** *Total:* 1

*Individual Resource Status:* **Shed** **Non-Contributing** *Total:* 1

*Individual Resource Status:* **Garage** **Non-Contributing** *Total:* 1

## McComb Street

## McComb Street

### 5845 McComb Street 002-5087-0044

*Primary Resource Information: Single Dwelling, Stories 1.00, Style: Other, ca 1945*

2007: Set on a solid concrete block foundation, the wood-frame dwelling is clad in vinyl siding and capped with a side-gabled asphalt-shingle roof. There are two single-leaf wood paneled-with-lights entries, 6/6 wood windows, a central-interior brick chimney, and a three-bay shed porch on brick piers. A circa 1960s wing projects to the west, pierced with 2/2 horizontal windows. There are two shed rear additions and a hipped side wing, as well as square-edged wood surrounds with a square backband and sill.

<i>Individual Resource Status: Single Dwelling</i>	<b>Contributing</b>	<i>Total:</i>	1
<i>Individual Resource Status: Shed</i>	<b>Contributing</b>	<i>Total:</i>	2

### 5851 McComb Street 002-5087-0045

*Primary Resource Information: Single Dwelling, Stories 1.00, Style: Other, ca 1920*

Set on a poured concrete foundation, the two-story wood-frame dwelling is clad in stucco siding and capped by a center-gabled standing-seam metal roof. The three-bay wide facade features a central single-leaf entry and flanking 2/2 wood windows. The second story features two 2/2 wood windows set just beneath the overhanging eaves. A center gable, flush with the facade wall, includes a central round vent. A hipped porch shelters the openings on the first story and is supported by metal posts. Other detailing includes a rear one-story shed addition, square-edged surrounds with a lipped lintel, a wood cornice with decorative center gable returns, and a metal porch balustrade.

<i>Individual Resource Status: Single Dwelling</i>	<b>Contributing</b>	<i>Total:</i>	1
<i>Individual Resource Status: Garage</i>	<b>Contributing</b>	<i>Total:</i>	1

### 5855 McComb Street 002-5087-0046

*Primary Resource Information: Single Dwelling, Stories 1.00, Style: Other, ca 1920*

Set on a solid poured concrete foundation, the one-story dwelling features a four-bay facade and hipped asphalt-shingle roof. There is a central-interior brick chimney at the roof peak, set on an angle. Two bays deep, the dwelling features a shed porch with metal posts, 2/2 wood windows, two-central entries and flanking windows, and two-bays deep side elevation. There is a hipped rear ell, overhanging eaves, and square-edged wood surrounds with a molded backband.

<i>Individual Resource Status: Single Dwelling</i>	<b>Contributing</b>	<i>Total:</i>	1
<i>Individual Resource Status: Shed</i>	<b>Contributing</b>	<i>Total:</i>	1

### 5859 McComb Street 002-5087-0047

*Primary Resource Information: Single Dwelling, Stories 1.00, Style: Other, ca 1920*

Set on a solid, poured concrete foundation, the one-story wood-frame dwelling is clad in vinyl siding and capped with a hipped/pyramidal standing seam metal roof. The dwelling features a three-bay facade and is two bays deep. A central entry is sheltered by a hipped porch that has been enclosed with 1/1 windows and lattice. The 3-bay porch also features turned posts on brick piers, a metal awning, and central steps. The porch is flanked by 2/2 wood windows, also with metal awnings. Other detailing includes a central brick chimney, square-edged surrounds with a molded backband, and a boxed wood cornice. All windows feature metal awnings.

<i>Individual Resource Status: Single Dwelling</i>	<b>Contributing</b>	<i>Total:</i>	1
<i>Individual Resource Status: Shed</i>	<b>Contributing</b>	<i>Total:</i>	1

### 5865 McComb Street 002-5087-0048

*Primary Resource Information: Single Dwelling, Stories 2.00, Style: Other, ca 1920*

The wood-frame two-story I-house features stucco cladding and a center-gabled asphalt-shingle roof. Set on a poured concrete foundation, the symmetrically fenestrated dwelling features a central single-leaf door and flanking 2/2 wood windows. There is a half-hipped porch with turned wood posts supporting the three-bay porch. A one-story rear shed addition, square balusters, a peak round vent, and square-edged wood surrounds with a molded backband further define the single-pile dwelling.

<i>Individual Resource Status: Single Dwelling</i>	<b>Contributing</b>	<i>Total:</i>	1
--	---------------------	---------------	---

### 5869 McComb Street 002-5087-0049

*Primary Resource Information: Single Dwelling, Stories 1.00, Style: Other, ca 1948*

The one-story wood-frame dwelling sits on a solid foundation and is capped by a side-gabled asphalt-shingle roof. Clad in vinyl siding the dwelling features a five-bay main block and flush one-bay wing extension. The main block is pierced with a central

## McComb Street

single-leaf door and flanking 6/6 vinyl windows. A wood-frame gabled porch shelters the entry and two flanking windows. The porch is one-bay wide with wood posts, a decorative wood-frame peak, and a stucco foundation with poured concrete steps. The building is two bays deep and is further defined by paneled vinyl shutters, molded thin aluminum surrounds, and an aluminum cornice.

*Individual Resource Status:* **Single Dwelling** **Contributing** *Total:* 1

## Pleasant Green Street

### 1330 Pleasant Green Street 002-0252

*Other DHR Id #:* 002-5087-0065

*Primary Resource Information:* **Single Dwelling, Stories 2.00, Style: Greek Revival, ca 1815**

Wayland House is a four-and-four-tenths-acre property located in Crozet, Virginia, on Route 788, about thirteen miles west of Charlottesville. The house is a vernacular structure with Greek Revival and Gothic details. It is two stories, one room deep, and U-shaped in plan. The original timber-frame structure was built in 1832, and received several additions before 1900, completing the U-shape. Modern additions to the structure include an enclosed porch running along the entire south side of the house. The remaining contributing sites on the property, including a dairy with a collapsed corner, the remains of a kitchen, and a well, are located on the south side of the house. A graveyard is seventy-five yards west of the house, but the head stones have been removed.

2007: Set on a random rubblestone foundation, the two-story dwelling presents a u-shaped footprint. Begun circa 1815 as a one-room log structure, the house was expanded into an I-house circa 1836. An ell was added. In the 1880s, an I-house ell was added and the orientation was changed, creating the u-shape. The dwelling is capped by a standing-seam metal gabled roof and features asbestos shingle cladding. The 1834 three-bay I-house (NE elev.) features a center gable and central three-bay hipped porch with chamfered Tuscan posts and lancet-arched balustrade on the porch and porch roof. The porch shelters a single-leaf door with one-light transom and three-light sidelights. Flanking the porch is a 6/6 window on one side and a retrofitted one-light window with 2/2 sidelights on the other side. The second story includes three 6/6 windows. Interior-end brick chimneys rise from the roofline (one is now a central-interior). A one-story hipped addition projects from the SE elevation. Facing NW, the 1880s primary elevation creates an I-house wall with flush wing extension. A center gable marks the I-house with a porch similar to one on the original primary facade. 6/6 windows pierce the symmetrical facade, while an additional bay of windows is located on the extension. Other detailing includes overhanging eaves, and molded surrounds with square cornerblocks.

<i>Individual Resource Status:</i> <b>Dairy</b>	<b>Contributing</b>	<i>Total:</i>	1
<i>Individual Resource Status:</i> <b>Single Dwelling</b>	<b>Contributing</b>	<i>Total:</i>	1
<i>Individual Resource Status:</i> <b>Cemetery</b>	<b>Contributing</b>	<i>Total:</i>	1
<i>Individual Resource Status:</i> <b>Shed</b>	<b>Non-historic</b>	<i>Total:</i>	4
<i>Individual Resource Status:</i> <b>Garage</b>	<b>Non-Contributing</b>	<i>Total:</i>	1

### 1335 Pleasant Green Street 002-5087-0064

*Primary Resource Information:* **Single Dwelling, Stories 2.00, Style: Colonial Revival, ca 1917**

Set on a rock-faced concrete block foundation, the two-story wood-frame I-house is capped by a side-gabled standing-seam metal roof and clad in weatherboard siding. Symmetrically fenestrated, the three-bay single-pile dwelling features a central single-leaf door and 2/2 wood windows. The facade, which faces NE, is dominated by a flush center gable with decorative round vent. A five-bay half-hipped porch extends across the first story, supported by Tuscan columns. A two-story gabled ell extends from the main block, while a one-story shed addition and enclosed porch (enclosed ca. 1989) also project from the rear. Detailing included square-edged wood surrounds with lipped lintels, a single-light transom on the door, and a central-interior brick chimney.

<i>Individual Resource Status:</i> <b>Single Dwelling</b>	<b>Contributing</b>	<i>Total:</i>	1
<i>Individual Resource Status:</i> <b>Playhouse</b>	<b>Non-Contributing</b>	<i>Total:</i>	1
<i>Individual Resource Status:</i> <b>Chicken coop</b>	<b>Non-Contributing</b>	<i>Total:</i>	1
<i>Individual Resource Status:</i> <b>Barn</b>	<b>Non-Contributing</b>	<i>Total:</i>	1

## Railroad Avenue

### 5820 Railroad Avenue 002-5087-0066

*Primary Resource Information:* **Commercial Building, Stories 1.00, Style: Commercial Style, ca 1940**

Set on a solid brick foundation, the one-story masonry commercial building features a flat roof and rectangular footprint. Constructed of stretcher bond brick, the three-bay facade is pierced with a single-leaf plate-glass window, and a three-light and

## Railroad Avenue

nine-light fixed window. An ATM machine is located on the side elevation. Detailing includes a stepped brick cornice, concrete sills, and inset entry, and two-bay side elevation with a 6/6 window.

*Individual Resource Status:* **Commercial Building** **Contributing** *Total:* 1

### 5824 Railroad Avenue 002-5087-0067

*Primary Resource Information:* **Commercial Building, Stories 2.00, Style: Commercial Style, ca 1920**

Constructed as a fruit packing shed, the two-story concrete block structure is capped by a side-gabled standing-seam metal roof. Converted into a laundromat and later an apartment building, the structure features a seven-bay facade pierced with single-leaf and sliding double-leaf doors. Six 1/1 windows plus two infilled window openings are located on the second floor. A one-story flat-roof porch extends across most of the first story supported by metal posts and some added wood posts. A side-elevation exterior metal stair accesses the second story. Other detailing includes corrugated metal gable peaks, a wood cornice, and a rear gable portico.

*Individual Resource Status:* **Commercial Building** **Contributing** *Total:* 1

### 5826 Railroad Avenue 002-5087-0068

*Primary Resource Information:* **Single Dwelling, Stories 2.00, Style: Late Victorian, ca 1900**

Set on a poured concrete foundation, the two-story wood-frame dwelling features asbestos shingle siding and a gable-front and wing standing-seam metal hipped roof. An inset two-story porch supported by chamfered posts stretches across the front wing, screened on the second story. A one-story rear gable addition, square-edged surrounds with lipped lintels, overhanging eaves, and decorative cornice returns define the building. Additionally, a canted bay projects from the southeast elevation. The facade is pierced with 2/2 wood windows and a single-leaf door, sheltered by the porch.

*Individual Resource Status:* **Single Dwelling** **Contributing** *Total:* 1

### 5830 Railroad Avenue 002-5087-0069

*Primary Resource Information:* **Single Dwelling, Stories 1.00, Style: Bungalow/Craftsman, ca 1932**

Set on poured concrete foundation, the 1.5-story wood-frame dwelling is clad in asbestos siding and capped by a clipped gable standing-seam metal roof. The facade features a screened half-hipped porch with turned posts and a central entry. The building is two bays deep, pierced with 2/2 wood windows. Other detailing on the dwelling includes a rear shed entry porch, overhanging eaves, a molded wood cornice, and square-edged wood surrounds and sills.

*Individual Resource Status:* **Single Dwelling** **Contributing** *Total:* 1

### 5860 Railroad Avenue 002-5087-0070

*Primary Resource Information:* **Single Dwelling, Stories 1.00, Style: Bungalow/Craftsman, ca 1940**

Set on a solid poured concrete foundation, the one-and-a-half story wood-frame dwelling is capped by a side-gabled standing-seam metal roof and clad in aluminum siding. An enclosed shed porch extends across the facade, while a central shed dormer with exposed rafter tails caps the roof on the front and rear. Other detailing includes 1/1 metal, 2/2 wood, and 6/6 vinyl windows, a rear shed addition/extension, and aluminum louvered shutters. A side elevation entry is located on the SE elevation.

*Individual Resource Status:* **Single Dwelling** **Contributing** *Total:* 1

*Individual Resource Status:* **Shed** **Non-Contributing** *Total:* 1

### 5878 Railroad Avenue 002-5087-0071

*Primary Resource Information:* **Single Dwelling, Stories 1.50, Style: Bungalow/Craftsman, ca 1940**

Set on a poured concrete foundation, the wood-frame 1.5 story dwelling is capped by a side-gabled asphalt-shingle roof and clad in aluminum siding. A shed full-width porch and a central gabled dormer dominate the front facade. Two central-interior brick chimneys, overhanging eaves, a boxed aluminum cornice, and a one-story circa 1980 recessed wing further define the dwelling. There is also a rear gabled dormer, 1/1 metal and vinyl windows, and a central single-leaf entry door. The dwelling is three bays wide and two deep.

*Individual Resource Status:* **Single Dwelling** **Contributing** *Total:* 1

### 5882 Railroad Avenue 002-5087-0072

*Primary Resource Information:* **Single Dwelling, Stories 1.50, Style: Other, ca 1926**

The Cape Cod dwelling is a 1.5-story wood-frame house with a side-gabled jerkinhead roof. Clad in aluminum siding, the dwelling features two gabled dormers (appear to have been added), a poured concrete foundation, and a three-bay porch supported by turned

## Railroad Avenue

posts. A central-interior brick chimney rises from the roofline, while a gabled rear ell extends off the back. A single-leaf central door and 6/6 vinyl windows pierce the three-bay facade. Detailing includes a boxed wood cornice with molded returns and square aluminum surrounds.

<i>Individual Resource Status:</i> <b>Single Dwelling</b>	<b>Contributing</b>	<i>Total:</i>	1
<i>Individual Resource Status:</i> <b>Garage</b>	<b>Contributing</b>	<i>Total:</i>	1

### 5888 Railroad Avenue 002-5087-0073

*Primary Resource Information:* **Single Dwelling, Stories 1.00, Style: Other, ca 1971**

The one-story ranch dwelling is constructed of stretcher bond brick and capped with a side-gabled asphalt-shingle roof. An off-center wood-frame projecting gable entry is clad in vinyl siding and pierced with a side single-leaf door and triple-hung metal awning windows. The dwelling is also pierced with 4/4 and 6/6 vinyl windows across the four-bay facade. An inset carport supported by wood posts occupies the SE end. Other detailing includes a rear wood deck and gabled addition, a central-interior brick chimney, overhanging eaves, paneled vinyl shutters, and an aluminum soffit.

<i>Individual Resource Status:</i> <b>Single Dwelling</b>	<b>Non-Contributing</b>	<i>Total:</i>	1
<i>Individual Resource Status:</i> <b>Shed</b>	<b>Non-Contributing</b>	<i>Total:</i>	1

### 5892 Railroad Avenue 002-5087-0171

*Primary Resource Information:* **Single Dwelling, Stories 1.00, Style: Other, ca 1996**

The one-story masonry dwelling is constructed of stretcher bond brick and capped by a side-gabled asphalt-shingle roof. Four bays in width, the single-pile dwelling features an off-center single-leaf door accesses by a brick deck with metal balustrade. There is a pair of 6/9 vinyl windows on one side of the door and two single 6/9 vinyl windows on the other. The windows are detailed with rowlock brick sills and vinyl paneled shutters. Other detailing includes overhanging eaves, a side-elevation single-leaf entry, a boxed aluminum cornice, and a peak louvered vent.

<i>Individual Resource Status:</i> <b>Single Dwelling</b>	<b>Non-Contributing</b>	<i>Total:</i>	1
---	-------------------------	---------------	---

### 5896 Railroad Avenue 002-5087-0170

*Primary Resource Information:* **Single Dwelling, Stories 1.00, Style: Other, ca 1996**

The circa 1996 wood-frame one-story dwelling sits on a poured concrete foundation and is capped by a side-gabled asphalt-shingle roof. Clad in vinyl siding, the four-bay dwelling features a slightly off-center single-leaf metal door. On one side of the door and a pair of 6/9 vinyl windows and on the other there are two single 6/9 vinyl windows. Wood decks access the front and the side entries. Other detailing includes overhanging eaves, a boxed aluminum cornice, vinyl paneled shutters, and thin aluminum surrounds.

<i>Individual Resource Status:</i> <b>Single Dwelling</b>	<b>Non-Contributing</b>	<i>Total:</i>	1
---	-------------------------	---------------	---

### 5926 Railroad Avenue 002-5087-0169

*Primary Resource Information:* **Single Dwelling, Stories 1.00, Style: Other, ca 1940**

The one-story wood-frame dwelling sits on a solid foundation and is capped by a side-gabled jerkinhead roof with asphalt-shingles. Clad in asbestos shingles, the three-bay dwelling features a central entry with flanking 2/2 wood windows. The three-bay one-story hipped porch features turned posts. A one-story gabled ell projects to the rear. Other detailing includes a molded cornice with returned, square-edged wood surrounds with lipped lintels, and two central-interior and one interior-end brick chimneys. There are one-light and panel sidelights on the entry.

<i>Individual Resource Status:</i> <b>Single Dwelling</b>	<b>Contributing</b>	<i>Total:</i>	1
---	---------------------	---------------	---

### 5930 Railroad Avenue 002-5087-0168

*Primary Resource Information:* **Single Dwelling, Stories 1.00, Style: Other, ca 1946**

The one-story permastone-clad dwelling is capped by a side-gabled asphalt-shingle roof. The three-bay-wide structure features a central single-leaf entry sheltered by a shed jalousie-light enclosed porch. Flanking the porch are 6/6 wood windows. Two bays deep, one side elevations is also pierced with 6/6 wood windows. A side-gabled porch wing is located on the other side. Other detailing includes a flush wood cornice, a central-interior brick chimney, and a side-elevation entry.

<i>Individual Resource Status:</i> <b>Single Dwelling</b>	<b>Contributing</b>	<i>Total:</i>	1
---	---------------------	---------------	---

### 5934 Railroad Avenue 002-5087-0167

## Railroad Avenue

*Primary Resource Information:* **Single Dwelling, Stories 1.00, Style: Other, ca 1950**

The one-story wood-frame dwelling sits on a concrete block foundation and is capped by a side-gabled asphalt-shingle roof. Constructed of concrete block with aluminum siding over it, the dwelling features a central hipped three-bay porch with central steps, Tuscan wood posts, and square balusters. The three-bay facade features a central single-leaf door, sheltered by the porch, and flanking sets of three 3-light metal casement windows. Other detailing includes weatherboard gable peaks (over concrete block), a central-interior brick chimney, rowlock brick sills, and fixed vinyl louvered shutters. The house is three bays deep.

*Individual Resource Status:* **Single Dwelling** **Contributing** *Total:* 1

### 5940 Railroad Avenue 002-5087-0166

*Primary Resource Information:* **Single Dwelling, Stories 1.50, Style: Bungalow/Craftsman, ca 1925**

Set on a solid rock-faced concrete block foundation, the one-and-a-half story wood-frame bungalow is capped by a side-gabled asphalt-shingle roof with clipped gables and clad in aluminum siding with permastone on the facade. Two bays wide, the double pile dwelling features an off-center single-leaf door with three-light transom and one-light sidelights and a 1/1 wood windows. The upper story is marked by a large central jerkinhead dormer with a pair of 1/1 windows. Other detailing includes a rear shed one-story addition, two central-interior brick chimneys, and a two-bay hipped porch with turned and bracketed posts. The building also features a boxed aluminum cornice, fixed aluminum louvered shutters, and a standing-seam metal porch roof.

*Individual Resource Status:* **Single Dwelling** **Contributing** *Total:* 1

*Individual Resource Status:* **Garage** **Contributing** *Total:* 1

### 5944 Railroad Avenue 002-5087-0165

*Primary Resource Information:* **Trailer, Stories 1.00, Style: Other, ca 1980**

The one-story wood-frame dwelling sits on a solid (not visible) foundation and is capped by a side-gabled vinyl roof. Clad in vinyl siding, the five-bay single-pile dwelling features an off-center single-leaf door and four 1/1 vinyl windows. Each features a thin aluminum surround and vinyl louvered shutters. The entry door and one window are sheltered by a shed porch with brick balustrade and wood posts. There is a metal flue.

*Individual Resource Status:* **Trailer** **Non-Contributing** *Total:* 1

### 5960 Railroad Avenue 002-5087-0164

*Primary Resource Information:* **Single Dwelling, Stories 1.00, Style: Other, ca 1950**

Set on a permastone-clad solid foundation, the one-story wood-frame dwelling presents a gable-front and wing form. Clad in permastone siding, the dwelling is capped by an asphalt-shingle roof with aluminum gable peaks. A shed porch, now enclosed, projects from the wing portion of the facade. It is pierced with an off-center storm door and three 1/1 vinyl windows. A similar window marks the projecting gable portion of the house. There is a shed recessed aluminum-clad wing with 1/1 vinyl window and side entry with steps. Other detailing includes pressed vertical-board porch siding, overhanging eaves, a wood cornice, concrete sills, and an interior-central brick chimney.

*Individual Resource Status:* **Single Dwelling** **Contributing** *Total:* 1

*Individual Resource Status:* **Shed** **Contributing** *Total:* 1

### 5982 Railroad Avenue 002-5087-0163

*Primary Resource Information:* **Single Dwelling, Stories 2.00, Style: Other, ca 1900**

Set on a stucco foundation, the two story stucco-clad dwelling is two bays wide and capped by a side-gabled standing-seam metal roof. The symmetrically fenestrated dwelling features an off-center single-leaf door and 6/6 wood windows on the first and second floor. A hipped one-story two-bay porch extend across much of the facade and is supported by wood posts. Detailing includes a one-story gabled ell with a side porch, square-edged wood surrounds with molded backbands, a boxed wood cornice, and an exterior-end stucco-clad chimney and a central-interior brick chimney.

*Individual Resource Status:* **Single Dwelling** **Contributing** *Total:* 1

### 6000 Railroad Avenue 002-5087-0162

*Primary Resource Information:* **Single Dwelling, Stories 1.00, Style: Other, ca 1947**

The one-story wood-frame dwelling sits on a permastone clad foundation and is capped by a hipped asphalt-shingle roof. Three bays wide and two bays deep, the dwelling is clad in permastone and features a hipped three-bay porch supported by metal posts. There is a concrete porch floor and metal balustrade. The porch shelters the central single-leaf entry and flanking 1/1 vinyl windows. Other detailing includes rowlock brick sills, square aluminum surrounds, a central-interior brick chimney, and a rear hipped addition.

## Railroad Avenue

*Individual Resource Status:* **Single Dwelling** **Contributing** *Total:* 1

### 6006 Railroad Avenue 002-2077

*Other DHR Id #:* 002-5087-0161

*Primary Resource Information:* **Single Dwelling, Stories 1.00, Style: Other, ca 1947**

1-story, 3-bay hip-roofed frame cottage. 1-story projecting porch with hipped roof, bracketed and turned posts, and simple balusters.

2007: The one-story wood-frame dwelling sits on a concrete block foundation and is capped by a hipped asphalt-shingle roof. Clad in vinyl siding, the three-bay-wide dwelling features a hipped screened porch with central door. The porch shelters the central single-leaf door and flanking 1/1 vinyl windows. Two bays deep with a rear hipped addition on a concrete block pier foundation, the dwelling also features a central-interior brick chimney and square aluminum surrounds.

*Individual Resource Status:* **Single Dwelling** **Contributing** *Total:* 1

### 6014 Railroad Avenue 002-5087-0160

*Primary Resource Information:* **Single Dwelling, Stories 1.00, Style: Other, ca 1965**

The one-story masonry dwelling is constructed of stretcher bond brick and capped by a gable-on-hip asphalt-shingle roof. There is an off-center projecting hipped roof wing, a hipped porch and attached carport. The three-bay facade features paired 1/1 vinyl windows on the projecting wing and a single-leaf door and 1-light picture window with 1/1 sidelights under the porch, which is supported by metal posts. The porch extends into an attached carport with metal side balustrade, metal posts, and an open entry bay. The rear of the carport is enclosed with a shed. Other details include a central-interior brick chimney, three-bay side elevation, fixed louvered shutters, and rowlock brick sills.

*Individual Resource Status:* **Single Dwelling** **Non-Contributing** *Total:* 1

*Individual Resource Status:* **Shed** **Non-Contributing** *Total:* 1

### 6026 Railroad Avenue 002-5087-0159

*Primary Resource Information:* **Single Dwelling, Stories 1.00, Style: Other, ca 1996**

The one-story wood-frame modular dwelling features a side-gabled roof, solid foundation, and vinyl siding. There is an off-center front-gable, a five-bay facade, and 1/1 metal windows. The off-center door is set beneath the front gable and is flanked by paired 1/1 windows. The remaining bays, located on the east end, feature single 1/1 windows. Other detailing includes a boxed wood cornice and fixed vinyl shutters.

*Individual Resource Status:* *Total:*

### 6034 Railroad Avenue 002-2076

*Other DHR Id #:* 002-5087-0158

*Primary Resource Information:* **Single Dwelling, Stories 2.00, Style: Other, ca 1900**

2-story, 3-bay gable-roofed frame house with 1-story shed-roofed rear wing. House has unusual 6/6 sash and off-center door. Chimney is on rear of house.

2007: Set on a solid foundation, the three-bay wood-frame two-story dwelling is clad in aluminum siding and capped by a side-gabled standing-seam metal roof. The single-pile structure features a central single-leaf entry flanked by 6/6 vinyl windows. The second story is pierced with two 6/6 vinyl windows. A shed enclosed screened porch shelters the first story fenestration. There is a breezeway connecting the main block to the workshop. Other detailing includes a one-story rear shed addition, thin aluminum surrounds, and slightly overhanging eaves.

*Individual Resource Status:* **Single Dwelling** **Contributing** *Total:* 1

*Individual Resource Status:* **Shed** **Contributing** *Total:* 1

*Individual Resource Status:* **Workshop** **Contributing** *Total:* 1

### 6038 Railroad Avenue 002-5087-0157

*Primary Resource Information:* **Single Dwelling, Stories 1.00, Style: Other, ca 1900**

The circa 1900 vernacular dwelling is a one-story wood-frame structure set on a rock-faced concrete block pier foundation (infilled with concrete blocks) and capped by a center-gabled asphalt-shingle roof. Clad in asbestos shingle siding, the single-pile dwelling features a slightly off-center enclosed porch and a central single-leaf door flanked by 1/1 wood windows. The shed porch features a standing seam metal roof, a concrete block structure, and an off-center storm door. There are three banked 1/1 metal windows on the side elevations and two to one side of the door and four to the other on the facade. There is an interior-end brick chimney, a boxed wood cornice, thin surrounds, and a gabled one-story ell. There is also a rear one-story circa 1950 shed addition on a concrete block

## Railroad Avenue

addition, serving as a wing to the ell.

*Individual Resource Status:* **Single Dwelling** **Contributing** *Total:* 1

### 6046 Railroad Avenue 002-5087-0156

*Primary Resource Information:* **Single Dwelling, Stories 2.00, Style: Other, ca 1905**

Set on a solid concrete foundation, the two-story single-pile wood-frame dwelling is capped by a side-gabled standing-seam metal roof. Clad in asbestos siding, the three-bay-wide dwelling features an enclosed shed concrete block porch, dating to circa 1940. The porch features a central single-leaf storm door flanked on each side by three metal 1/1 windows. The second story of the dwelling is pierced with three 1/1 vinyl windows. Detailing includes a one-story gabled ell with one-story wing, overhanging eaves, square-edged wood surrounds with lipped lintels, and a peak louvered vent. The rear ell sits on a concrete block foundation. There is an interior-end and central-interior brick chimney.

*Individual Resource Status:* **Single Dwelling** **Contributing** *Total:* 1

### 6054 Railroad Avenue 002-5087-0155

*Primary Resource Information:* **Single Dwelling, Stories 2.00, Style: Other, ca 1910**

The two-story wood-frame dwelling present a gable-front-and-wing form with a flush wall plane. The single-pile dwelling features a three-bay facade with an enclosed off-center hipped porch. The dwelling is clad in wide aluminum siding and capped by a standing-seam metal roof. There is a boxed wood cornice, square-edged wood surrounds and sills, lipped lintels, and a one-story gabled ell with shed wing addition. The enclosed porch features two 1/1 metal windows on the facade and a side elevation single-leaf entry. There is an additional 2/2 wood window on the first floor gable and three 2/2 symmetrically placed windows on the second story. A central-interior brick chimney rises from the main roof.

*Individual Resource Status:* **Single Dwelling** **Contributing** *Total:* 1

*Individual Resource Status:* **Shed** **Contributing** *Total:* 1

### 6072 Railroad Avenue 002-2072

*Other DHR Id #:* **002-5087-0154**

*Primary Resource Information:* **Single Dwelling, Stories 1.50, Style: Bungalow/Craftsman, ca 1926**

1 1/2-story, 3-bay, gable-roofed frame house. Roof has shed-roofed dormers on the north and south. 1-story wing is on the north. Windows have 2/2 sash, some with original shutters. House has a 1-story shed-roofed porch with turned posts.

2007: The 1.5-story wood-frame bungalow sits on a poured concrete foundation and is capped by a side-gabled standing-seam metal roof with a shed wall dormer on the front and rear. There is a rear one-story gabled ell. The three-bay facade features a central single-leaf door flanked by 6/6 vinyl windows. Clad in weatherboard siding, the dwelling also features a shed three-bay porch with wood turned posts and balusters. Other detailing includes infilled sidelights, square-edged wood surrounds with lipped lintels, a wood cornice, fixed vinyl paneled shutters, and three interior-end brick chimneys. There is also a rear wood deck.

*Individual Resource Status:* **Single Dwelling** **Contributing** *Total:* 1

*Individual Resource Status:* **Office** **Non-Contributing** *Total:* 1

*Individual Resource Status:* **Wood Shed** **Non-Contributing** *Total:* 1

### 6078 Railroad Avenue 002-2073

*Other DHR Id #:* **002-5087-0153**

*Primary Resource Information:* **Single Dwelling, Stories 2.00, Style: Late Victorian, ca 1900**

2-bay, 2-story, gable-roofed house with projecting front gable. Attic story of gables covered with patterned, pressed-tin. 1-story porch has turned posts and railings. 1-story, 4-bay rear wing has two entrances.

2007: Set on a poured concrete foundation, the two-story wood-frame dwelling presents a two-bay gable-front and wing form with a flush facade. The single-pile dwelling features vinyl siding and an asphalt-shingle roof. There is an off-center single-leaf door with vinyl-infilled transom, a boxed aluminum cornice, and a two-bay hipped porch with turned posts and a modern horizontal board partial railing. The two-bay facade is also symmetrically fenestrated with 2/2 wood windows. A two-story ell projects to the rear with a two-story addition. A one-story gabled addition also extends to the rear, including a wraparound enclosed porch. The dwelling also features two interior-end brick chimneys.

*Individual Resource Status:* **Single Dwelling** **Contributing** *Total:* 1

*Individual Resource Status:* **Barn** **Contributing** *Total:* 1

*Individual Resource Status:* **Shed** **Contributing** *Total:* 1

*Individual Resource Status:* **Barbecue Pit** **Contributing** *Total:* 1

## Railroad Avenue

6086 Railroad Avenue 002-2074

Other DHR Id #: 002-5087-0152

*Primary Resource Information:* **Single Dwelling, Stories 2.00, Style: Late Victorian, ca 1916**

2-story, 3-bay gable-roofed frame house with center cross gable on front facade. Attic level of gables have decorative wooden vents. 1-story porch has turned posts and is on brick piers. There is a 2-story rear wing.

2007:

Set on a random rubblestone foundation, the two-story center-gabled I-house features a standing-seam metal roof, weatherboard siding, and a three-bay facade. The central entry is capped by a single-light transom and is flanked by 2/2 wood windows. The second story is pierced with three symmetrical 2/2 wood windows. A hipped three-bay porch features turned wood posts and is set on brick piers. Detailing on the single-pile dwelling includes a boxed wood cornice, a wide fascia, square-edged surrounds with lipped lintels, and a peak round decorative vent. There is a rear one-story shed porch and deck, as well as a two story gabled ell. There is also an interior-end brick chimney.

*Individual Resource Status:* **Single Dwelling** **Contributing** *Total:* 1

*Individual Resource Status:* **Garage** **Contributing** *Total:* 1

## St. George Avenue

5724 St. George Avenue 002-5087-0097

*Primary Resource Information:* **Single Dwelling, Stories 1.00, Style: Other, ca 1952**

The one-story, side-gabled dwelling is constructed of a wood frame with vinyl siding and is capped by a side-gabled asphalt-shingle roof. The five-bay wide and two bay deep dwelling features an off-center single-leaf entry in the second bay. The first bay is pierced with a pair of 6/6 windows, the third with a smaller 2/2 window, and the fourth and fifth with single 6/6 windows. All the windows are vinyl. The single-leaf entry is sheltered by a boxed cornice and features a small concrete porch pad with metal balustrade. Other detailing includes an exterior end brick shouldered chimney, a screen porch hipped wing addition and a window-clad hyphen connecting the main block to a garage. The garage is a one-story wood-frame structure with a front-gabled asphalt-shingle roof, vinyl siding, and a poured concrete floor. There is a boxed aluminum cornice and an open bay.

*Individual Resource Status:* **Single Dwelling** **Contributing** *Total:* 1

*Individual Resource Status:* **Smoke/Meat House** **Contributing** *Total:* 1

5734 St. George Avenue 002-5087-0098

*Primary Resource Information:* **Single Dwelling, Stories 1.00, Style: Colonial Revival, ca 1955**

The ranch dwelling is a one-story masonry structure constructed of stretcher bond brick and capped with a side-gabled asphalt-shingle roof. There is a rear one-story ell, a screened porch wing addition, and an off-center projecting front gable. Enhanced with Colonial Revival details, the four bay wide dwelling features a slightly off-center entry with reeded pilasters and a molded entablature. The projecting gable is pierced with an 8/8 wood window, as are the remaining two facade bays. Each window is detailed with rowlock sills and thin molded surrounds. Additional detailing includes weatherboard gable peaks, an exterior-end brick chimney, Tuscan screened porch posts, fixed louvered shutters, and a flush fascia.

*Individual Resource Status:* **Single Dwelling** **Contributing** *Total:* 1

*Individual Resource Status:* **Garage** **Contributing** *Total:* 1

5742 St. George Avenue 002-2193

Other DHR Id #: 002-5087-0099

*Primary Resource Information:* **Single Dwelling, Stories 1.00, Style: Bungalow/Craftsman, ca 1900**

Extremely asymmetrical, rambling 1-story frame house built on a stone foundation. Front section has a 1-story porch on tapered piers, gable end stone-and-brick chimney, and 3-bay wing on the west. House extends three more bays on the rear with an additional 3-bay long wing perpendicular to this. Most windows are 6/6 sash.

2007: Set on a stone foundation, the one-story wood-frame bungalow features a side-gabled roof with an off-center gable, shed porch, and asymmetrical rear additions/wing. Clad in weatherboard siding, the dwelling is three bays wide with a central single-leaf door and 1/1 vinyl windows. An original half-round wood multi-light window pierces the peak of the projecting gable. The shed porch is one-bay wide and is supported by Craftsman posts on stone piers. A recessed one-story wing also features a single-leaf door. The rear includes a central gabled ell and a sun porch with side deck. A projecting gable also extends to the side. Detailing on the dwelling includes overhanging eaves, a wood cornice, and square-edged surrounds with a lipped lintel. There are two exterior-end brick chimneys.

*Individual Resource Status:* **Single Dwelling** **Contributing** *Total:* 1

## St. George Avenue

*Individual Resource Status:* **Garage** **Contributing** *Total:* 1

### 5743 St. George Avenue 002-2196

*Other DHR Id #:* 002-5087-0095

*Primary Resource Information:* **Single Dwelling, Stories 1.50, Style: Dutch Colonial Revival, ca 1912**

1 1/2-story, 3-bay frame house with tall gambrel roof. Shed-roofed dormer with three 8/1 sash windows runs across both front and rear facade. Small gable-roofed hood supported by Doric columns is at the entrance. Door is flanked by four pane sidelights. 1-story screened porch is on the east elevation. 1-story shed-roofed wing is at the rear.

2007: The three-bay-wide Dutch Colonial Revival dwelling is a 1.5 story wood-frame house with a side-gambrel asphalt-shingle roof, weatherboard siding, and a central gabled portico. The portico features an arched entry, Tuscan column supports, and a molded boxed wood cornice. It shelters the single-leaf wood door detailed with three-light sidelights. The entry is flanked by 8/8 wood windows on the first story, each with a square-edged wood surround with lipped lintel. A shed dormer extends to the front and rear on the upper story. A hipped one-story screened porch projects from the SE elevation, while a 1-story shed addition extends to the rear. Two bays deep, the dwelling also features a molded wood cornice, a diamond peak louvered vent, and a poured concrete foundation. There is an exterior-end brick chimney with corbeled cap.

*Individual Resource Status:* **Single Dwelling** **Contributing** *Total:* 1

*Individual Resource Status:* **Garage** **Contributing** *Total:* 1

*Individual Resource Status:* **Single Dwelling** **Contributing** *Total:* 1

*Individual Resource Status:* **Garage** **Contributing** *Total:* 1

### 5752 St. George Avenue 002-5087-0103

*Primary Resource Information:* **Single Dwelling, Stories 1.00, Style: Colonial Revival, ca 1950**

The one-story wood-frame dwelling sits on a brick foundation and is capped by a side-gabled asphalt-shingle roof. Clad in vinyl siding, the three-bay wide dwelling features a central single-leaf door with a Colonial Revival surround. It is flanked by a 6/6 vinyl window and a one-light fixed window with 1/1 sidelights. A central interior chimney rises from the roofline. The main block is flanked by a one-bay recessed wing with 6/6 window and an elongated wing addition with hyphen and garage. The hyphen features a three bay inset porch with arched openings and wood posts, two 6/6 windows, a pair of French doors and two roll-up arched vinyl garage doors. Other details include fixed louvered shutters, a concrete stoop, and a rear shed addition. There are square aluminum surrounds and a boxed aluminum cornice.

*Individual Resource Status:* **Single Dwelling** **Contributing** *Total:* 1

*Individual Resource Status:* **Pool/Swimming Pool** **Non-Contributing** *Total:* 1

*Individual Resource Status:* **Single Dwelling** **Contributing** *Total:* 1

### 5762 St. George Avenue 002-5087-0101

*Primary Resource Information:* **Single Dwelling, Stories 2.00, Style: Colonial Revival, ca 1940**

The three-bay-wide two-story Colonial Revival dwelling is constructed of stretcher bond brick and capped by a side-gabled asphalt-shingle roof. The dwelling features a one-story wood-frame shed addition. A central entry is detailed with a Colonial Revival-style surround featuring a dentiled broken pediment with central urn and reeded pilasters. A dentiled cornice caps the facade. The central entry is flanked by 8/8 wood windows while two similar windows pierce the upper story, flanking a central 6/6 window. Detailing in the windows includes soldier brick lintels, rowlock sills, a molded wood surround, and fixed louvered shutters. An exterior-end chimney marks the side of the main block while a projecting bay window pierces the wing.

*Individual Resource Status:* **Single Dwelling** **Contributing** *Total:* 1

*Individual Resource Status:* **Garage** **Contributing** *Total:* 1

### 5763 St. George Avenue 002-2197

*Other DHR Id #:* 002-5087-0094

*Primary Resource Information:* **Single Dwelling, Stories 2.00, Style: Late Victorian, ca 1890**

2-story, 3-bay, gable-roofed frame house with a projecting pedimented bay on the northwest corner and west elevation. Attic story of this bay features diamond-shaped shingles, a decorative vent, and gable end returns. 1-story porch has turned posts and spindles below the eaves.

2007: Set on a poured concrete foundation, the two-story wood-frame dwelling presents a gable-front-and-wing form, aluminum siding, and an asphalt shingle roof. A hipped one-story porch stretches across the wing sheltering a single-leaf door and a 1/1 window. A similar 1/1 window is located on the projecting gable's first story. The second story is similarly fenestrated with 2/2 windows piercing each of the same openings. The porch is four bays wide and supported by bracketed turned posts and a decorative screen with turned spindles. The gable peaks are detailed with sawtooth shingles and molded cornice returns, as well as

## St. George Avenue

decorative round vents. The dwelling features a two-story off-center ell with side elevation center gable, and a rear shed one-story addition with shed porch extension. The addition sits on a concrete block foundation and appears to date to circa 1960. Other detailing on the dwelling includes a wide cornice fascia, fixed louvered shutters, a brick porch foundation, a one-light door transom, and square-edged wood surrounds with a lipped backband.

<i>Individual Resource Status:</i> <b>Single Dwelling</b>	<b>Contributing</b>	<i>Total:</i>	1
<i>Individual Resource Status:</i> <b>Garage</b>	<b>Contributing</b>	<i>Total:</i>	1

### 5772 St. George Avenue 002-2199

*Other DHR Id #:* **002-5087-0102**

*Primary Resource Information:* **Single Dwelling, Stories 2.00, Style: Colonial Revival, ca 1935**

A 2-story, 5-bay, gable-roofed dwelling composed of a 2-story, 3-bay main block flanked by 1-story, 1-bay wings on the east and west sides. The east wing is a screened porch. The main entrance features a one-bay pedimented portico with Doric columns. The gable-roofed dormers feature arched windows. Most windows are six-over-six sash.

2007: Set on a solid foundation, the two-story wood-frame dwelling features a three-bay I-house form and is capped by a side-gabled asphalt-shingled roof. The central entry consists of a gabled portico with Tuscan posts, a dentil course, and a molded cornice with returns. It shelters a single-leaf wood-paneled entry that is flanked by tripe 4-light casement windows on each side. The second story is pierced with three 6/6 symmetrically placed windows. Each upper window is detailed with operable louvered shutters with a moon motif, while the first story includes vinyl awnings. A square-edged surround with lipped lintel and square sills also marks the windows. A one-story recessed one-bay wing projects to one side and features a multi-light window hidden by a vinyl awning. A hipped side porch extends from the other side. It features Tuscan post supports and a single-leaf entry. Two gabled dormers with wide cornice returns and arched 4-light paired casement windows crown the side-gabled asphalt-shingle roof. The building also features an exterior-end and interior-end brick chimney, a rear one-story hipped addition, weatherboard cladding, and a rear wood deck. The gable peaks features round casement windows.

<i>Individual Resource Status:</i> <b>Single Dwelling</b>	<b>Contributing</b>	<i>Total:</i>	1
<i>Individual Resource Status:</i> <b>Garage</b>	<b>Contributing</b>	<i>Total:</i>	1

### 5773 St. George Avenue 002-2192

*Other DHR Id #:* **002-5087-0093**

*Primary Resource Information:* **Single Dwelling, Stories 2.00, Style: Late Victorian, ca 1900**

2-story, 2-bay, double-pile, gable-roofed frame house with a cross gable on the north and west elevations. Attic story of these gables is faced with pressed tin. 1-story hip-roofed porch has turned posts and railings.

2007: The two-story I-house dwelling is a three-bay-wide wood-frame structure capped with a center-gabled asphalt-shingle roof and clad in aluminum siding. A central entry is flanked by 2/2 wood windows and is sheltered by a three-bay central hipped one-story porch supported by chamfered posts. The wall beneath the porch is clad in permastone, as is the foundation on the facade. Other detailing includes two central-interior brick chimneys, a boxed cornice, square-edged sills, and fixed aluminum louvered shutters. There is an off-center two-story ell and shed side addition with one-story porch.

<i>Individual Resource Status:</i> <b>Single Dwelling</b>	<b>Contributing</b>	<i>Total:</i>	1
<i>Individual Resource Status:</i> <b>Garage</b>	<b>Contributing</b>	<i>Total:</i>	1

### 5787 St. George Avenue 002-5087-0092

*Primary Resource Information:* **Single Dwelling, Stories 1.00, Style: Modern Movement, ca 1957**

The circa 1957 ranch house is a one-story masonry dwelling constructed of stretcher bond brick and capped by a side-gabled asphalt-shingle roof. The dwelling features an off-center front gable and an inset porch supported by metal posts. The facade features a single-leaf wood door and a 24-light window under the porch and a pair of 6/6 wood windows in the front gable. A central-interior brick chimney and a side-elevation she porch further define the dwelling. Other details include rowlock brick sills, a weatherboard peak, weatherboard walls under the porch, and thin molded wood surrounds and sills. There are five-light sidelights.

<i>Individual Resource Status:</i> <b>Single Dwelling</b>	<b>Contributing</b>	<i>Total:</i>	1
<i>Individual Resource Status:</i> <b>Carport</b>	<b>Contributing</b>	<i>Total:</i>	1

### 5797 St. George Avenue 002-2189

*Other DHR Id #:* **002-5087-0091**

*Primary Resource Information:* **Single Dwelling, Stories 2.00, Style: Late Victorian, ca 1900**

A 2-story, 3-bay, gable-roofed, frame house, with a T-shaped plan. It has a two-story, 2-bay, rear wing. The three-bay front porch features turned posts and railings and a one-bay, pedimented second story. A two-story porch is also located on the east elevation.

2007:

Set on a poured concrete foundation, the two-story wood-frame dwelling features and I-house form with an l-shaped footprint. The

## St. George Avenue

facade is dominated by a gabled portico with a hipped five-bay first story and central three-bay gabled second story. The portico is supported by chamfered posts. The facade, sheltered by the porch, is three bays wide with a central single-leaf entry with three-light transom flanked by 2/2 wood windows. Two 2/2 wood windows light the second story, also flanking a central single-leaf door. Detailing includes a two-story rear ell, a molded wood cornice, square-edged surrounds with lipped lintels, and decorative cornice returns. There is a flush fascia, a decorative round vent in the porch peak, turned balusters, and two central-interior brick chimneys.

<i>Individual Resource Status:</i> <b>Single Dwelling</b>	<b>Contributing</b>	<i>Total:</i> 1
<i>Individual Resource Status:</i> <b>Barn</b>	<b>Contributing</b>	<i>Total:</i> 1

### 5804 St. George Avenue 002-5087-0113

*Primary Resource Information:* **Church, Stories 2.00, Style: Colonial Revival, ca 1983**

Set on a solid brick foundation, the two-story stretcher bond brick church features a front-gabled central section with slightly smaller front gabled projecting entrance. Both gabled section are flanked by hipped wings, the front smaller than the rear. A steeple tower rises from the main gable, featuring a brick base with balustrade, a glass enclosed belfry and a copper spire on a wood-paneled base. The gabled entrance block features a closed tympanum clad in stucco and pierced with a central half-round vinyl window. A wide molded cornice separates the gable from the primary facade, which is divided into three bays by Tuscan pilasters. The central bay is pierced by a double-leaf entry with arched lights, a paneled transom, and a Tuscan pilaster supported surround with flat entablature. The outside bays each feature an 8/8 vinyl window with soldier lintel and rowlock sill. An octagon panel with raised circular center crowns each window. The larger hipped wings are obscure primarily by the smaller wings, which are each pierced with two 8/8 windows similar to those flanking the main entrance. The rear of the church features multiple additions, including a perpendicular gabled addition, a projecting gabled wing with hipped addition, and a rear gabled parish hall, accessed via a flat-roof hyphen. There is a flat-roofed entry portico on the SE elevation and a flat one-story porch across the NW elevation wing. An interior-end chimney rises from the rear addition. A small tower rises from the wing.

<i>Individual Resource Status:</i> <b>Church</b>	<b>Non-Contributing</b>	<i>Total:</i> 1
--	-------------------------	-----------------

### 5821 St. George Avenue 002-2190

*Other DHR Id #:* **002-5087-0114**

*Primary Resource Information:* **Single Dwelling, Stories 2.50, Style: Colonial Revival, ca 1903**

A large, 2-story, 3-bay brick house, with a pyramidal hip roof and steeply-pitched, gable-roofed dormers. The front dormer feature a Palladian dormer. Windows and doors have segmental arches and molded trim. The front porch has Tuscan columns and turned railings. The rear porch is two stories in height.

2007: Set on a solid concrete parged foundation, the two-story stretcher bond brick dwelling features a hipped roof with a center gables and asphalt shingles. The three-bay-wide dwelling features a central single-leaf door with transom light and opaque sidelights flanked by arched 1/1 wood windows. Two similar windows pierce the second floor. Each is detailed with operable louvered wood shutters and square-edged wood surrounds. A three-bay porch shelters the first story and features turned balusters and Tuscan column supports. A rear off-center gabled ell with closed tympanum and a two-story wood-frame addition with second story porch extend off the rear elevation. A slightly projecting side elevation gable projects from the ell. The upper floor porch features turned posts and square balusters, while the first floor is clad in weatherboard. There are exterior wood steps to a door on the first story. Other details include a central-interior brick chimney and a boxed wood cornice with molding.

<i>Individual Resource Status:</i> <b>Single Dwelling</b>	<b>Contributing</b>	<i>Total:</i> 1
<i>Individual Resource Status:</i> <b>Shed</b>	<b>Contributing</b>	<i>Total:</i> 1

### 5829 St. George Avenue 002-5087-0115

*Primary Resource Information:* **Single Dwelling, Stories 2.00, Style: Late Victorian, ca 1906**

Set on a random rubble-stone foundation, the two-bay wide- two-story wood-frame dwelling features an off-center front gable. Capped by an asphalt-shingle roof, the dwelling is clad in vinyl siding and detailed with a pressed metal shingle gable peak with decorative round vent. There is an off-center single-leaf door with vinyl-filled transom and symmetrically placed 2/2 windows in each of the other openings. A hipped three-bay porch shelters the first story and is supported by turned posts, turned balusters, and scrolled brackets. There is a two-story rear ell with hipped one-story additions. Square-edged aluminum surrounds, a boxed aluminum cornice, a brick porch foundation, and a side shed boxed addition further detail the structure.

<i>Individual Resource Status:</i> <b>Single Dwelling</b>	<b>Contributing</b>	<i>Total:</i> 1
---	---------------------	-----------------

### 5830 St. George Avenue 002-5087-0117

*Primary Resource Information:* **Single Dwelling, Stories 2.00, Style: Late Victorian, ca 1903**

The center-gabled two-story I-house sits on a poured concrete foundation and is capped by an asphalt-shingle roof. Clad in thin

## St. George Avenue

aluminum siding, the dwelling features a rear two-story gabled ell, a rear two-shed addition, and a one-story carport addition which extends from the ell. A 1-story five-bay hipped porch extends across the facade. It is supported by turned posts and balusters and features a standing-seam metal roof and wood steps. A single-leaf central entry is flanked by 2/2 wood windows on the first floor, while three symmetrical 2/2 wood windows pierce the second. Detailing includes a molded cornice with returns, aluminum surrounds, and fixed aluminum louvered shutters. There is a one-light door transom and a central-interior brick chimney.

*Individual Resource Status:* **Single Dwelling** **Contributing** *Total:* 1

### 5834 St. George Avenue 002-5087-0118

*Primary Resource Information:* **Single Dwelling, Stories 2.00, Style: Queen Anne, ca 1903**

The two-story wood-frame Queen Anne-style dwelling features a gable-front-and-wing form with a dominant off-center projecting gable. Set beneath a butt-shingled gable, the projecting bay features a three-sided two-story cant pierced with three 2/2 windows on each story. The recessed "wing" houses the single-leaf entrance, a small 2/2 wood window and a 2/2 second story window. A hipped wrap-around porch projects of the wing, with the wrapped portion enclosed. The porch is supported by chamfered posts and features turned balusters. A single-light transom caps the door. Other detailing includes weatherboard siding, a solid foundation (not visible), square-edged surrounds, a molded cornice with returns, and decorative gable peak round vents. The dwelling also features a two-story shed rear addition, and multiple single-story rear additions. There is a projecting bay on the side of the enclosed porch and a gable on the side elevation.

*Individual Resource Status:* **Single Dwelling** **Contributing** *Total:* 1

*Individual Resource Status:* **Garage** **Contributing** *Total:* 1

### 5835 St. George Avenue 002-2191

*Other DHR Id #:* 002-5087-0116

*Primary Resource Information:* **Single Dwelling, Stories 2.50, Style: Colonial Revival, ca 1905**

Large 2 1/2-story, 3-bay house built of rusticated concrete block. House has tall hipped roof with pressed tin shingles in a scalloped design. Hip-roofed dormers have tri-partite fixed sash windows. Handsome 1-story porch has Ionic columns. Sash windows have keystone lintels. Rear wing has a partially enclosed porch on the first story.

2007: Set on a solid foundation, the 2.5 story rock-faced concrete block dwelling is capped by a hipped roof with flared eaves, wide overhanging eaves, and pressed metal shingles. The facade is three bays wide with a central double-leaf door with transom and flanking 1/1 wood windows. Three similar 1/1 windows pierce the second story. Each window is detailed with a wide square-edged concrete sill and splayed stone lintels with keystone, which the entrance door also features. A hipped one-story porch stretched across the facade five bays and is supported by Ionic columns and no railing. A large hipped dormer projects from the roof on the front and sides, pierced with a bank of five 1/1 windows. The rear features a hipped two-story porch clad in vertical board and featuring 2/2 windows. The first story is screened.

*Individual Resource Status:* **Single Dwelling** **Contributing** *Total:* 1

*Individual Resource Status:* **Garage** **Contributing** *Total:* 1

### 5848 St. George Avenue 002-5087-0119

*Primary Resource Information:* **Single Dwelling, Stories 2.00, Style: Late Victorian, ca 1880**

Set on a parged random rubblestone foundation, the three-bay I-house stands two stories in height and is capped by a center-gable hipped standing-seam metal roof. Clad in asbestos shingle siding, the dwelling features a hipped three-bay one-story porch supported by wood posts and a chippendale railing. The porch shelters a central single-leaf door with one-light transom and two 2/2 flanking windows. Three similar 2/2 windows pierce the second story. Each opening is detailed with square-edged wood surrounds with lipped lintels. Two bays deep, the dwelling also features two interior-center chimneys, a hipped two-story rear addition and a shed one-story rear addition.

*Individual Resource Status:* **Single Dwelling** **Contributing** *Total:* 1

### 5852 St. George Avenue 002-5087-0120

*Primary Resource Information:* **Single Dwelling, Stories 1.00, Style: Other, ca 1950**

The one-story wood-frame dwelling sits on a poured concrete foundation and is capped by a side-gabled asphalt-shingle roof. Clad in asbestos shingles, the dwelling presents a rectangular footprint. A gabled portico projects from the central bay of the five bay facade. It shelters a single-leaf door and is supported by lattice and wood posts. Flanking the entry on each side are two 6/6 wood windows, set just beneath the eaves. Each features a square-edged wood surround. The dwelling is further detailed with a central-interior brick chimney with corbeled cap, a side elevation shed screened porch wing, and a molded wood cornice.

*Individual Resource Status:* **Single Dwelling** **Contributing** *Total:* 1

*Individual Resource Status:* **Garage** **Contributing** *Total:* 1

## St. George Avenue

### 5854 St. George Avenue 002-5087-0121

*Primary Resource Information: Single Dwelling, Stories 1.00, Style: Other, ca 1948*

The three bay one-story dwelling is a wood-frame structure clad in stucco and capped by a side-gabled asphalt-shingle roof. The house presents a rectangular footprint and features a side elevation shed screened porch. A gabled one-bay portico projects from the center bay. It features an arched entry and wood-post and lattice supports. It shelters a single-leaf wood door with lights. Paired 6/6 wood windows flank the entry, each featuring square-edged wood surrounds and vertical-board fixed wood shutters. A central-interior brick chimney rises from the roof.

*Individual Resource Status: Single Dwelling* **Contributing** *Total:* 1

### 5855 St. George Avenue 002-5087-0122

*Primary Resource Information: Single Dwelling, Stories 2.00, Style: Late Victorian, ca 1906*

The two-story gable-front-and-wing dwelling sits on a poured concrete foundation, is clad in weatherboard siding, and capped by a gabled standing-seam metal roof. The two-bay facade features a 2/2 wood window on each story of the projection and on the second floor of the wing. The first story of the wing is pierced with a single-leaf door capped by a 1-light transom. A hipped one-story porch extends across the facade supported by turned posts with scroll-sawn brackets and square balusters. The building features a two-story rear ell, a side elevation one-story hipped addition and a rear one-story shed screened porch. Detailing on the ca. 1906 structure includes a central-interior brick chimney, overhanging eaves with a boxed cornice and wide fascia, cornerboards, and decorative round gable peak vents. The openings are trimmed with square-edged surrounds and sills.

*Individual Resource Status: Single Dwelling* **Contributing** *Total:* 1

*Individual Resource Status: Shed* **Non-Contributing** *Total:* 1

### 5862 St. George Avenue 002-5087-0123

*Primary Resource Information: Single Dwelling, Stories 1.00, Style: Colonial Revival, ca 1954*

The circa 1954 one-story wood-frame dwelling sits on a solid concrete foundation and is capped by a side-gabled asphalt-shingle roof. The three-bay-wide dwelling features a one-bay central gabled portico with wood posts that shelters a single-leaf entry door. The portico is flanked by metal 1/1 windows. Other detailing includes a central-interior brick chimney, vinyl siding, a concrete porch floor, overhanging eaves, fixed louvered shutters, and thin aluminum surrounds.

*Individual Resource Status: Single Dwelling* **Contributing** *Total:* 1

### 5866 St. George Avenue 002-5087-0124

*Primary Resource Information: Single Dwelling, Stories 2.00, Style: Other, ca 1900*

The two-story side-gabled wood-frame dwelling sits on a stone random rubble foundation and is capped by a standing-seam metal roof. Slightly off-center fenestration features a single-leaf door and 2/2 window on the first floor and two 2/2 windows on the second. A hipped wrap-around porch shelters the first story openings and features wood posts and a solid balustrade. Clad in weatherboard, the dwelling also features an interior-end and central-interior brick chimney, square-edged wood surrounds with lipped lintels, and fixed vinyl louvered shutters. The dwelling also features two side elevation shed additions, a one-story shed screened porch wing, and a rear two-story ell. An off-center rear addition also extends from the dwelling.

*Individual Resource Status: Single Dwelling* **Contributing** *Total:* 1

*Individual Resource Status: Garage* **Non-Contributing** *Total:* 1

### 5871 St. George Avenue 002-5087-0125

*Primary Resource Information: Single Dwelling, Stories 2.50, Style: Colonial Revival, ca 1930*

Set on a rock-faced concrete block foundation, the 2.5-story wood-frame dwelling is two bays wide and two bays deep. Clad in weatherboard siding, the dwelling is capped with a side-gabled standing-seam metal roof with central gabled dormer. A hipped one-story porch extends across the front and side elevation, sheltering an off-center entry and 1/1 windows on the facade. Two similarly placed symmetrical 1/1 windows are located on the second story. Detailing includes gable end closed tympanums, a central-interior brick chimney, a boxed wood cornice, paired 1/1 dormer windows, and a rear 2 story gabled ell. The main entry is detailed with a three-light transom and two-light sidelights, while the porch features turned posts and balusters. Operable louvered wood shutters, a closed dormer tympanum, and square-edged surrounds further define the dwelling.

*Individual Resource Status: Single Dwelling* **Contributing** *Total:* 1

### 5874 St. George Avenue 002-2198

*Other DHR Id #: 002-5087-0127*

## St. George Avenue

*Primary Resource Information:* **Single Dwelling, Stories 2.00, Style: Late Victorian, ca 1920**

A 2-story, 3-bay, gable-roofed, frame I-house, with a central cross gable. It has a one-story porch with turned posts and railings and brackets. The two-story rear wing is two-bays long. Windows are two-over-two sash with plain surrounds.

2007: Set on a solid foundation (not visible), the two-story I-house features a center gabled corrugated metal roof, vinyl cladding, and a one-story hipped porch on brick piers. The single-leaf center entry is flanked with 2/2 wood windows on the first floor, while three similar windows mark the second floor. The porch includes central wood steps, turned posts and turned balusters. The single-pile dwelling is further detailed with square-edged aluminum surrounds, a boxed aluminum cornice, and an interior-end brick chimney. There is a gabled 2-story ell with a one-story extension.

<i>Individual Resource Status:</i> <b>Single Dwelling</b>	<b>Contributing</b>	<i>Total:</i>	1
<i>Individual Resource Status:</i> <b>Shed</b>	<b>Contributing</b>	<i>Total:</i>	1

### 5877 St. George Avenue 002-2195

*Other DHR Id #:* **002-5087-0126**

*Primary Resource Information:* **Single Dwelling, Stories 2.00, Style: Colonial Craftsman, ca 1923**

The 2.5 story foursquare dwelling sits on a parged concrete foundation and is clad in weatherboard siding. Capped by a hipped asphalt-shingle roof, the two-bay wide dwelling features an off-center single-leaf entry and symmetrical 3/1 wood windows with square surrounds and molded lintels. A hipped dormer with paired vents caps the roof, which features overhanging eaves. A hipped wrap-around porch is supported by Craftsman-style tapered posts on brick piers. Other detailing includes operable louvered wood shutters, metal stair rails, wood square balusters, two central-interior brick chimneys, and a one-story hipped rear addition.

<i>Individual Resource Status:</i> <b>Single Dwelling</b>	<b>Contributing</b>	<i>Total:</i>	1
<i>Individual Resource Status:</i> <b>Garage</b>	<b>Contributing</b>	<i>Total:</i>	1

### 5880 St. George Avenue 002-5087-0128

*Primary Resource Information:* **Single Dwelling, Stories 1.00, Style: Colonial Revival, ca 1954**

The one-story wood-frame dwelling sits on a solid concrete foundation and is capped by a side-gabled asphalt-shingle roof. Clad in asbestos shingles, the three bays dwelling features a central gabled portico with paired Tuscan posts that shelters a single-leaf entry. The entry is flanked on one side by a 2/2 horizontal wood window and on the other by a tripartite window with fixed one-light center light and flanking 2/2 horizontal sidelights. Additional detailing on the small dwelling includes weatherboard-clad portico peak and thin square-edged wood surround. A central-interior brick chimney rises from the roofline.

<i>Individual Resource Status:</i> <b>Single Dwelling</b>	<b>Contributing</b>	<i>Total:</i>	1
---	---------------------	---------------	---

### 5888 St. George Avenue 002-2194

*Other DHR Id #:* **002-5087-0129**

*Primary Resource Information:* **Single Dwelling, Stories 2.00, Style: Queen Anne, ca 1875**

2-story, 3-bay, gable-roofed frame house with 2-story, gable-roofed polygonal bay on the west. Wrap-around porch has turned posts and railings. 2-bay-wing is on the rear.

2007: Set on a solid foundation (not visible), the two-story wood-frame dwelling features a gable-front-and-wing form with Queen Anne styling, including a three-side projecting two-story gable bay. Three bays wide, the single-pile dwelling features an asphalt-shingle roof, weatherboard siding, and a hipped roof porch with off-center gabled projection. Five bays wide, the porch features a central entry and turned posts with scroll-sawn brackets. It shelters the first story of the dwelling which consists of a single-leaf entry with one-light transom and a 2/2 window on the "wing" and three canted 2/2 windows on the projecting gable. Similar fenestration patterns pierce the second story, although it consists only of 2/2 windows. Detailing includes a two-story gabled ell with one-story extension, a hipped one-story wing, and a shed rear addition. There are square-edged wood surrounds with lipped lintels, fixed louvered shutters, and a gable peak decorative round vent.

<i>Individual Resource Status:</i> <b>Single Dwelling</b>	<b>Contributing</b>	<i>Total:</i>	1
---	---------------------	---------------	---

### 5892 St. George Avenue 002-5087-0130

*Primary Resource Information:* **Single Dwelling, Stories 2.00, Style: Queen Anne, ca 1868**

Featuring a gable-front-and-wing form, the two-story wood-frame dwelling features weatherboard siding, a solid parged concrete foundation, and an asphalt-shingle roof. Three bays in width, the facade is pierced with a central single-leaf entry and flanked by 2/2 wood windows (one is in the projecting gable). The second floor is similarly fenestrated with all 2/2 windows. Queen Anne detailing is noted in the sawtooth shingle gable peak, the spindled porch screen, and the turned and bracketed posts that support the three bay porch. Other detailing includes operable louvered shutters, a molded cornice with returns, a decorative round peak vent, turned balusters, wood steps, and square-edged surrounds with lipped lintels. There is a rear one-story addition to a gabled ell.

<i>Individual Resource Status:</i> <b>Single Dwelling</b>	<b>Contributing</b>	<i>Total:</i>	1
---	---------------------	---------------	---

## St. George Avenue

<i>Individual Resource Status:</i> <b>Garage</b>	<b>Contributing</b>	<i>Total:</i> 1
<i>Individual Resource Status:</i> <b>Shed</b>	<b>Contributing</b>	<i>Total:</i> 1

### 5903 St. George Avenue 002-5087-0131

*Primary Resource Information:* **Single Dwelling, Stories 1.50, Style: Colonial Revival, ca 1948**

The 1.5 story wood-frame dwelling sits on a poured concrete foundation and is capped by a side-gabled asphalt-shingle roof. Clad in aluminum siding, the dwelling is composed of a two-bay central main block with off-center entry, a slightly recessed two-bay wing, and a second recessed screened porch wing. The single-leaf entry is sheltered by a one-bay portico with arched entry and wood posts. It is flanked on one side by a 1/1 vinyl window. The wing features a similar 1/1 window and a smaller 3/1 wood window. A single-leaf screened entry accesses the screened porch. A side-elevation gabled portico projects from the wing. Other detailing includes rowlock sills, an exterior-end and a central-interior brick chimney.

<i>Individual Resource Status:</i> <b>Single Dwelling</b>	<b>Contributing</b>	<i>Total:</i> 1
<i>Individual Resource Status:</i> <b>Shed</b>	<b>Contributing</b>	<i>Total:</i> 1

### 5920 St. George Avenue 002-5087-0132

*Primary Resource Information:* **Single Dwelling, Stories 1.00, Style: Other, ca 2003**

The one-story wood-frame dwelling sits on a poured concrete foundation and is capped by a side-gabled asphalt-shingle roof. Clad in hydroplane siding, the dwelling features a five-bay facade with a central single-leaf entry and flanking 6/6 vinyl windows. The facade is sheltered by a full-width inset porch supported by Tuscan columns. The single-pile dwelling is detailed with an exterior-end brick chimney, overhanging eaves, and fixed shutters.

<i>Individual Resource Status:</i> <b>Single Dwelling</b>	<b>Non-Contributing</b>	<i>Total:</i> 1
<i>Individual Resource Status:</i> <b>Garage</b>	<b>Non-Contributing</b>	<i>Total:</i> 1

### 5923 St. George Avenue 002-5087-0133

*Primary Resource Information:* **Single Dwelling, Stories 1.00, Style: Other, ca 1969**

The one-story masonry dwelling sits on a concrete block foundation and is capped by a side-gabled asphalt-shingle roof. Constructed of stretcher bond bricks the ranch house dwelling features an off-center single-leaf entry door flanked on one side by two 2/2 horizontal wood windows and on the other by a 1-light fixed window with 2/2 sidelights. Each features a rowlock sill and fixed louvered shutters. A concrete stoop, weatherboard gable peaks, and a boxed cornice further define the dwelling. An inset carport is located on the NE end. The entry has an open bay, while the facade side features a brick half wall and wood posts. The two-bay side of the carport also features a door opening with metal gate.

<i>Individual Resource Status:</i> <b>Single Dwelling</b>	<b>Non-Contributing</b>	<i>Total:</i> 1
<i>Individual Resource Status:</i> <b>Trailer</b>	<b>Non-Contributing</b>	<i>Total:</i> 1

### 5933 St. George Avenue 002-5087-0134

*Primary Resource Information:* **Single Dwelling, Stories 1.00, Style: Other, ca 1950**

The one-story wood-frame dwelling sits on a poured concrete foundation and is capped by a side-gabled asphalt-shingle roof. Clad in aluminum siding, the three-bay-wide dwelling features a slightly off-center single-leaf entry flanked by 6/6 wood windows. The fenestration is sheltered by a large gabled portico supported by four wood posts. Detailing included a central-interior chimney, a rear shed addition, overhanging eaves, thin aluminum surrounds, and fixed louvered aluminum shutters. The building is two bays deep.

<i>Individual Resource Status:</i> <b>Single Dwelling</b>	<b>Contributing</b>	<i>Total:</i> 1
<i>Individual Resource Status:</i> <b>Shed</b>	<b>Contributing</b>	<i>Total:</i> 1

### 5936 St. George Avenue 002-5087-0135

*Primary Resource Information:* **Single Dwelling, Stories 2.00, Style: Other, ca 1936**

The two-story wood-frame gable-front-and wing form dwelling sits on a solid foundation and is capped by a hipped asphalt-shingle roof with off-center projecting gable. Clad in vinyl siding, the three-bay-wide dwelling features a slightly off-center single-leaf entry flanked by paired 6/6 vinyl windows (one set in projecting gable). The fenestration on the first story is sheltered by a full-width three-bay hipped porch supported by turned wood posts. The second story is pierced by three 6/6 vinyl windows. Detailing includes an interior-end concrete block and an interior-end brick chimney, a rear two-story ell, overhanging eaves, square-edged aluminum surrounds, and a boxed aluminum cornice. The building features a side-elevation hipped porch.

<i>Individual Resource Status:</i> <b>Single Dwelling</b>	<b>Contributing</b>	<i>Total:</i> 1
---	---------------------	-----------------

## St. George Avenue

*Individual Resource Status:* **Shed** **Non-Contributing** *Total:* 1

### 5941 St. George Avenue 002-5087-0136

*Primary Resource Information:* **Single Dwelling, Stories 2.00, Style: Other, ca 1930**

The two-story wood-frame dwelling sits on a poured concrete foundation and is capped by a hipped asphalt-shingle roof. Clad in wide aluminum siding, the three-bay-wide I-house form dwelling features a central single-leaf entry flanked by 1/1 vinyl windows. The second story is pierced with two similar 1/1 windows. The fenestration on the first story is sheltered by a hipped three-bay porch supported by turned wood posts. Detailing includes overhanging eaves, thin square aluminum surrounds, and fixed louvered aluminum shutters. The building is single-pile with no side elevation fenestration. There is a central one-story gabled ell with one-story gabled wings.

*Individual Resource Status:* **Single Dwelling** **Contributing** *Total:* 1

*Individual Resource Status:* **Shed** **Non-Contributing** *Total:* 1

### 5946 St. George Avenue 002-5087-0137

*Primary Resource Information:* **Single Dwelling, Stories 1.00, Style: Other, ca 1972**

The circa 1972 masonry ranch house is one-story in height and four bays in width. Set on a concrete block foundation, the permastone-clad dwelling is capped by a side-gabled asphalt-shingle roof. There is an off-center single-leaf door and two sets of paired 4/4 vinyl windows to one side and a single-light fixed window with 4/4 sidelights to the other side. A shed porch extends two bays across the center, supported by wood posts and a wooden balustrade. It has a side entry. Other detailing on the two bay deep house is overhanging eaves, a boxed aluminum cornice, and thin aluminum surrounds.

*Individual Resource Status:* **Single Dwelling** **Non-Contributing** *Total:* 1

*Individual Resource Status:* **Garage** **Non-Contributing** *Total:* 1

### 5954 St. George Avenue 002-5087-0138

*Primary Resource Information:* **Single Dwelling, Stories 1.00, Style: Other, ca 1972**

The one-story wood-frame dwelling sits on a poured concrete foundation (in pressed block form) and is capped by a side-gabled asphalt-shingle roof. Clad in vinyl siding, the four-bay-wide dwelling features an off-center single-leaf entry flanked by 1/1 vinyl windows (two on one side). The entry is sheltered by a shed portico supported by four wood posts. Detailing includes a boxed aluminum cornice, paneled vinyl shutters, and thin aluminum surrounds. The building is three bays deep with a side elevation entry door.

*Individual Resource Status:* **Single Dwelling** **Non-Contributing** *Total:* 1

### 5955 St. George Avenue 002-5087-0139

*Primary Resource Information:* **Single Dwelling, Stories 1.00, Style: Other, ca 1920**

The one-story wood-frame dwelling sits on a stucco concrete foundation and is capped by a center-gabled asphalt-shingle roof. Clad in stucco siding, the three-bay-wide dwelling features a center single-leaf entry flanked by 2/2 wood windows. The fenestration is sheltered by a hipped porch supported by stuccoed posts. Detailing includes two interior-end brick chimneys, a rear gabled one-story ell with shed wings additions, overhanging eaves, square-edged wood surrounds, and gable peak louvered vents. The single-pile dwelling features an entry on the ell shed addition.

*Individual Resource Status:* **Single Dwelling** **Contributing** *Total:* 1

*Individual Resource Status:* **Shed** **Contributing** *Total:* 1

### 5961 St. George Avenue 002-5087-0140

*Primary Resource Information:* **Single Dwelling, Stories 1.00, Style: Other, ca 1992**

The one-story wood-frame dwelling sits on a poured concrete foundation and is capped by a side-gabled asphalt-shingle roof. Clad in vinyl siding, the four-bay-wide dwelling features an off-center single-leaf door and a pair of 1/1 vinyl windows in the central two bays. Single 1/1 vinyl windows pierce the end bays. A small wood deck accesses the entry. Detailing includes overhanging eaves, a side elevation boxed shed bay, vinyl louvered shutters, and thin aluminum surrounds.

*Individual Resource Status:* **Single Dwelling** **Non-Contributing** *Total:* 1

### 5964 St. George Avenue 002-5087-0141

*Primary Resource Information:* **Single Dwelling, Stories 2.00, Style: Colonial Revival, ca 1910**

The two-story wood-frame I-house dwelling sits on a solid (not visible) foundation and is capped by a center-gabled standing-seam

## St. George Avenue

metal roof. Clad in weatherboard siding, the three-bay-wide dwelling features a central single-leaf entry with one-light transom flanked by 2/2 wood windows. The second story is pierced with three similar 2/2 windows. The fenestration on the first story is sheltered by a hipped three-bay porch supported by paired columns on paneled bases. Detailing includes overhanging eaves, a flush fascia board, square-edged wood surrounds, and fixed louvered shutters. The building is single-pile and features a central-interior brick chimney. There is a rear two-story gabled ell, a gabled rear addition, and a shed one-story extension to the ell. The ell also features a central-interior brick chimney.

<i>Individual Resource Status:</i> <b>Single Dwelling</b>	<b>Contributing</b>	<i>Total:</i>	1
<i>Individual Resource Status:</i> <b>Garage</b>	<b>Contributing</b>	<i>Total:</i>	1

### 5969 St. George Avenue 002-5087-0142

*Primary Resource Information:* **Single Dwelling, Stories 1.00, Style: Other, ca 2005**

The one-story wood-frame dwelling sits on a concrete block foundation and is capped by a side-gabled asphalt-shingle roof. Clad in vinyl siding, the five-bay-wide single-pile dwelling features a slightly off-center single-leaf entry flanked by a pair of 6/6 vinyl windows on one side and a single 6/6 vinyl window on the other. The two end bays are also pierced with 6/6 vinyl windows. Detailing includes overhanging eaves, thin aluminum surrounds, and fixed paneled vinyl shutters. A wood deck accesses the entry.

<i>Individual Resource Status:</i> <b>Single Dwelling</b>	<b>Non-Contributing</b>	<i>Total:</i>	1
---	-------------------------	---------------	---

### 5972 St. George Avenue 002-5087-0143

*Primary Resource Information:* **Single Dwelling, Stories 1.00, Style: Other, ca 1989**

The one-story wood-frame dwelling sits on a poured concrete foundation and is capped by a side-gabled asphalt-shingle roof. Clad in cedar weatherboard siding, the four-bay-wide dwelling features a slightly off-center single-leaf entry flanked by 1/1 wood windows, paired on one side. The additional end bay is pierced with a 6/1 wood window. The door and paired window are sheltered by a two-bay shed porch supported by wood posts. Detailing includes overhanging eaves, thin wood surrounds, and fixed louvered aluminum shutters. The building is one bay deep with a side elevation entry deck.

<i>Individual Resource Status:</i> <b>Single Dwelling</b>	<b>Non-Contributing</b>	<i>Total:</i>	1
---	-------------------------	---------------	---

### 5973 St. George Avenue 002-5087-0144

*Primary Resource Information:* **Single Dwelling, Stories 1.50, Style: Other, ca 1957**

The one-and-a-half story stucco-clad dwelling sits on a solid stucco foundation and is capped by a side-gabled asphalt-shingle roof. The three-bay-wide dwelling features a slightly off-center single-leaf entry flanked by a pair of 3/1 wood windows on one side and a fixed one-light window with 3/1 sidelights on the other. The door is accessed by a concrete porch deck. Detailing includes a wood cornice, thin wood surrounds, and rowlock brick sills. The building is two bays deep with an inset side elevation entry porch with jalousie lights. There is a central-interior brick chimney.

<i>Individual Resource Status:</i> <b>Single Dwelling</b>	<b>Contributing</b>	<i>Total:</i>	1
<i>Individual Resource Status:</i> <b>Shed</b>	<b>Contributing</b>	<i>Total:</i>	1

### 5978 St. George Avenue 002-5087-0145

*Primary Resource Information:* **Single Dwelling, Stories 1.00, Style: Other, ca 1989**

The one-story wood-frame dwelling sits on a poured concrete foundation and is capped by a side-gabled asphalt-shingle roof. Clad in cedar weatherboard siding, the four-bay-wide dwelling consists of two blocks, one set slightly back. The slightly off-center single-leaf entry is flanked by 1/1 wood windows, paired on one side. The additional end bay is pierced with a 1/1 wood window. The door is inset forming a small porch supported by a wood corner post. Detailing includes overhanging eaves, thin wood surrounds, and fixed louvered aluminum shutters. The building is one bay deep with a side elevation 1/1 window.

<i>Individual Resource Status:</i> <b>Single Dwelling</b>	<b>Non-Contributing</b>	<i>Total:</i>	1
---	-------------------------	---------------	---

### 5984 St. George Avenue 002-5087-0146

*Primary Resource Information:* **Single Dwelling, Stories 1.00, Style: Other, ca 1989**

The one-story wood-frame dwelling sits on a poured concrete foundation and is capped by a side-gabled asphalt-shingle roof. Clad in cedar weatherboard siding, the four-bay-wide dwelling consists of two blocks. The facade features a slightly off-center single-leaf entry flanked by casement 2-light wood windows, paired on one side. The additional end bay is pierced with a 2-light casement wood window. The door is sheltered by an inset one-bay porch supported by a wood post. Detailing includes overhanging eaves, thin wood surrounds, and a wood balustrade. The building is one bay deep with a side elevation window.

<i>Individual Resource Status:</i> <b>Single Dwelling</b>	<b>Non-Contributing</b>	<i>Total:</i>	1
---	-------------------------	---------------	---

## St. George Avenue

### 5999 St. George Avenue 002-5087-0147

*Primary Resource Information:* **Single Dwelling, Stories 1.00, Style: Modern Movement, ca 1975**

The three-bay wood-frame dwelling is set on a solid concrete foundation and capped by a front-gabled asphalt-shingle roof. Clad in vinyl siding, the dwelling features a three-bay facade with off-center entry. The entry is a plate-glass sliding door with a two-light window acting as a transom. The door is flanked by a sliding 2-light metal window and a similar smaller window. A raised wood wrap-around deck accesses the entry, featuring a horizontal board balustrade. Detailing includes wide overhanging eaves, a central interior brick chimney, thin wood surrounds, and exterior wall posts.

*Individual Resource Status:* **Single Dwelling** **Non-Contributing** *Total:* 1

### 6000 St. George Avenue 002-5087-0148

*Primary Resource Information:* **Single Dwelling, Stories 1.00, Style: Other, ca 1966**

The one-story wood-frame dwelling sits on a poured concrete foundation and is capped by a side-gabled corrugated metal roof. Clad in vinyl siding, the four-bay-wide dwelling features an off-center single-leaf metal door, and 8/8 wood windows, paired to the left of the door. A wrap-around wood deck acts as a front porch, accessing the entry via side steps. Other detailing includes square-edged surrounds, overhanging eaves, and an aluminum cornice.

*Individual Resource Status:* **Single Dwelling** **Non-Contributing** *Total:* 1

*Individual Resource Status:* **Garage** **Non-Contributing** *Total:* 1

### 6003 St. George Avenue 002-5087-0149

*Primary Resource Information:* **Single Dwelling, Stories 1.00, Style: Other, ca 1978**

The one-story wood-frame dwelling sits on a concrete block foundation and is capped by a side-gabled asphalt-shingle roof. Clad in pressed vertical-board siding, the dwelling features a five-bay facade with an off-center single-leaf door. The door is flanked by paired non-symmetrical 2/2 horizontal wood windows, while single 2/2 horizontal windows also pierce the two northwest bays. Two bays deep, the dwelling also features overhanging eaves a wood deck entrance, a rear one-story ell, a central-interior concrete block chimney, and thin wood surrounds.

*Individual Resource Status:* **Single Dwelling** **Non-Contributing** *Total:* 1

### 6012 St. George Avenue 002-5087-0150

*Primary Resource Information:* **Single Dwelling, Stories 1.50, Style: Other, ca 1988**

The 1.5-story wood-frame dwelling presents a rectangular footprint and Cape Cod form. Sitting on a poured concrete foundation, the vinyl-clad dwelling is three bays wide and capped by a side-gabled asphalt-shingle roof with two gabled dormers. An inset shed porch extends across the facade supported by wood posts. There is a central single-leaf door flanked by paired 1/1 wood windows. Similar windows light the dormers. Other detailing includes a one-story wrap-around rear corner addition, thin wood surrounds, fixed louvered shutters, and overhanging eaves.

*Individual Resource Status:* **Single Dwelling** **Non-Contributing** *Total:* 1

### 6025 St. George Avenue 002-5087-0151

*Primary Resource Information:* **Single Dwelling, Stories 1.00, Style: Other, ca 1940**

Set on a poured concrete foundation, the one-story wood-frame dwelling features weatherboard siding and a side-gabled asphalt-shingle roof. Originally a three-bay dwelling with central portico a flush one-bay wing addition was added to one side. The original block features a central single-leaf door flanked by paired 6/6 wood windows. The gabled portico is supported by wood posts and concrete piers and is screened. Steps access the door. The wing, delineated by an inboard, features a single 6/6 wood window. Two bays deep, the dwelling is pierced on the side by a 1-light window with 4/4 sidelights and a pair of small 6/6 windows. The gable peak is marked with a vertical 6-light casement window. A rear gabled ell extends from the back of the dwelling. There is a central-interior brick and an exterior-end concrete block chimney. Other detailing includes a vertical-board portico peak, thin molded wood surrounds, square-edged sills and square cornerboards, and a molded wood cornice.

*Individual Resource Status:* **Single Dwelling** **Contributing** *Total:* 1

*Individual Resource Status:* **Shed** **Contributing** *Total:* 1

## St. George Street

## St. George Street

### 1285 St. George Street 002-5087-0112

*Primary Resource Information:* **Single Dwelling, Stories 1.50, Style: Bungalow/Craftsman, ca 1932**

The 1.5-story wood-frame bungalow is set on a poured concrete foundation and capped with a clipped gable standing-seam metal roof. Clad in weatherboard, the three-bay-wide and two-bay-deep dwelling features a one-bay Colonial Revival portico with battered Tuscan posts on brick piers, a clipped gable, and a wide molded cornice with returns. The portico shelters a single leaf central entry that is flanked by 2/2 wood windows. A one-story shed addition projects from the rear elevation. Other detailing included square-edged surrounds with lipped lintels, a molded cornice with returns, a central-interior brick chimney, and fixed louvered shutters.

<i>Individual Resource Status:</i> <b>Single Dwelling</b>	<b>Contributing</b>	<i>Total:</i>	1
<i>Individual Resource Status:</i> <b>Garage</b>	<b>Contributing</b>	<i>Total:</i>	1

### 1291 St. George Street 002-5087-0111

*Primary Resource Information:* **Single Dwelling, Stories 1.00, Style: Other, ca 1953**

Set on a solid brick foundation, the one-story stretcher brick ranch dwelling features a side-gabled asphalt-shingle roof and hipped projecting front wings. A hipped carport also projects to the side. The facade, which measures four bays wide features a 6/6 window in each of the projecting wings, while a central inset porch with metal posts shelters the single-leaf door and a 20-light fixed window. The dwelling also features rowlock sills, a central-interior brick chimney, a wide molded cornice, metal awnings, thin molded surrounds, and a concrete porch floor. The open-bay carport is supported by metal posts.

<i>Individual Resource Status:</i> <b>Single Dwelling</b>	<b>Contributing</b>	<i>Total:</i>	1
<i>Individual Resource Status:</i> <b>Garage</b>	<b>Contributing</b>	<i>Total:</i>	1

### 1300 St. George Street 002-5087-0110

*Primary Resource Information:* **Single Dwelling, Stories 1.00, Style: Other, ca 1951**

The circa 1951 dwelling is a one-story wood-frame structure with an off-center front gable. The four-bay wide dwelling sits on a solid foundation and is clad in permastone with vertical board beneath the porch. The gable peaks are clad in aluminum siding while the roof features asphalt shingles. A shed porch extends three bays across the "wing" and a portion of the projecting gable, where the single-leaf entry is located. The porch sits on a permastone clad foundation and is supported by wood posts and features concrete steps and a metal railing. Fenestration includes the single-leaf entry door as well as a single-light fixed picture window in the projecting gable and two 2/2 horizontal windows in the wing. Other detailing includes a rear porch enclosed with aluminum siding, louvered fixed shutters, and a metal porch balustrade.

<i>Individual Resource Status:</i> <b>Single Dwelling</b>	<b>Contributing</b>	<i>Total:</i>	1
<i>Individual Resource Status:</i> <b>Shed</b>	<b>Contributing</b>	<i>Total:</i>	1

### 1306 St. George Street 002-5087-0109

*Primary Resource Information:* **Single Dwelling, Stories 2.00, Style: Late Victorian, ca 1927**

The circa 1927 I-house is a two-story, wood-frame dwelling with a parged foundation and a center-gabled standing-seam metal roof. Clad in weatherboard siding, the three-bay dwelling is symmetrically fenestrated with a central single-leaf door and 2/2 wood windows. A three-bay hipped porch set on a concrete block foundation shelters the first story, supported by turned posts and balusters. The single-pile dwelling is further detailed with a central-interior brick chimney, square-edged wood surrounds with lipped lintels, overhanging eaves, and a molded wood cornice. There is a decorative round vent in the center gable peak.

<i>Individual Resource Status:</i> <b>Single Dwelling</b>	<b>Contributing</b>	<i>Total:</i>	1
<i>Individual Resource Status:</i> <b>Garage</b>	<b>Non-Contributing</b>	<i>Total:</i>	1

### 1307 St. George Street 002-2079

*Other DHR Id #:* **002-5087-0108**

*Primary Resource Information:* **Single Dwelling, Stories 2.00, Style: Colonial Revival, ca 1890**

Tall double-pile, 2-story, 3-bay, gable-roofed frame house with central cross gable. Roof covered with pressed tin shingles. 1-story pedimented porch has Tuscan columns. Windows have 9/9, 2/2, and 4/4 sash. Door has transom and sidelights. Rear wing is 2 bays long.

2007: The center-gabled two-story I-house sits on a solid concrete foundation and is capped by a gabled standing-seam metal roof. Clad in weatherboard, the double-pile three-bay-wide dwelling features a single-leaf wood-paneled door flanked by 9/9 vinyl windows on the first story. The second story is pierced with three 6/6 vinyl windows. The central entry, which features a three-light transom and 1-light sidelights is sheltered by an arched entry Colonial Revival-style gabled portico supported by Tuscan columns. The dwelling also features a two-story gabled ell with one-story addition, two exterior-end and one central-interior brick chimneys, and wood louvered shutters. There is a one-light fixed window in the gable peak.

## St. George Street

<i>Individual Resource Status:</i> <b>Single Dwelling</b>	<b>Contributing</b>	<i>Total:</i> 1
<i>Individual Resource Status:</i> <b>Garage</b>	<b>Non-Contributing</b>	<i>Total:</i> 1

### 1309 St. George Street 002-5087-0106

*Primary Resource Information:* **Single Dwelling, Stories 2.00, Style: Late Victorian, ca 1906**

The two-story wood-frame dwelling is a two-bay gable-front and wing dwelling with a two-story one-bay wing extension. Set on a poured concrete foundation, the asbestos shingle clad dwelling is capped by a gabled standing-seam metal roof. A hipped one-story porch extends across the two bay main block. It is a two-bay porch supported by Tuscan posts and square balusters. The dwelling features a single-leaf door with one-light transom on the main block wing, while 2/2 wood windows pierce the opening on the projecting gable and each of the two second story openings. A single 2/2 window pierces the first story of the wing addition. Other detailing includes square-edged wood surrounds with lipped lintels, a boxed wood cornice with decorative applied returns, a central-interior hooded brick chimney, and a rear one-story gabled addition with one-story gabled wing.

<i>Individual Resource Status:</i> <b>Single Dwelling</b>	<b>Contributing</b>	<i>Total:</i> 1
<i>Individual Resource Status:</i> <b>Barn</b>	<b>Contributing</b>	<i>Total:</i> 1
<i>Individual Resource Status:</i> <b>Shed</b>	<b>Contributing</b>	<i>Total:</i> 1

### 1312 St. George Street 002-5087-0107

*Primary Resource Information:* **Single Dwelling, Stories 1.00, Style: Other, ca 1955**

The one-story wood-frame sits on a concrete block foundation and is capped by a side-gabled standing-seam metal roof with overhanging eaves. The three-bay wide and two-bay deep dwelling is clad in asbestos shingles and features a rear shed addition. The facade features a central single-leaf door flanked by a 1/1 window to one side and a 1/1 and sliding two-light window (paired) on the other). There is a boxed wood cornice, flush wood gable peaks, and thin square-edged surrounds and sills.

<i>Individual Resource Status:</i> <b>Single Dwelling</b>	<b>Contributing</b>	<i>Total:</i> 1
<i>Individual Resource Status:</i> <b>Barbecue Pit</b>	<b>Contributing</b>	<i>Total:</i> 1

### 1318 St. George Street 002-5087-0105

*Primary Resource Information:* **Single Dwelling, Stories 2.00, Style: Other, ca 1900**

The two-story wood-frame dwelling appears to have been built in two phases. The original block is three bays wide and features a flush wall extension of two additional bays. The single-pile dwelling sits on a solid foundation (not visible) and is capped by a side-gabled standing-seam metal roof. Clad in asbestos siding, the dwelling features a central entry on the original block flanked by 6/6 wood windows. Two 4/4 windows pierce the second story. The extension features a 6/6 window and a projecting gabled garage entry on the first floor and a 4/4 and 2/2 window on the second. A one-story shed wing projects to the side of the original block, while a one-story front-gabled porch extends across the three-bay main facade. It features an arched entry, turned balusters, and wood posts, set on a poured concrete foundation. There are overhanging eaves and vinyl paneled shutters.

<i>Individual Resource Status:</i> <b>Single Dwelling</b>	<b>Contributing</b>	<i>Total:</i> 1
---	---------------------	-----------------

## Tabor Street

### 5757 Tabor Street 002-5087-0011

*Primary Resource Information:* **Single Dwelling, Stories 1.50, Style: Colonial Revival, ca 1929**

Presenting a gable-front-and-wing form, the ca. 1929 dwelling is constructed in the Colonial Revival style. Set on a poured concrete foundation, the wood-frame dwelling features an asphalt-shingle roof and weatherboard cladding. An off-center entry and two 6/6 windows pierce the front-gabled portion, while two additional 6/6 windows are located in the recessed wing. The off-center single-leaf entry features an integral portico with arched entry, gabled pediment, a paneled soffit, Tuscan pilasters, and a fanlight transom. Other detailing includes a side elevation shed dormer, an exterior-end stone chimney, and a central-interior brick chimney. The windows feature square-edged surrounds and sills with a lipped lintel. A wood cornice, peak louvered vent, louvered wood shutters, and side elevation entry with Chippendale railing also define the dwelling.

<i>Individual Resource Status:</i> <b>Single Dwelling</b>	<b>Contributing</b>	<i>Total:</i> 1
<i>Individual Resource Status:</i> <b>Shed</b>	<b>Contributing</b>	<i>Total:</i> 1
<i>Individual Resource Status:</i> <b>Carport</b>	<b>Non-Contributing</b>	<i>Total:</i> 1

### 5780 Tabor Street 002-2105

*Other DHR Id #:* **002-5087-0012**

*Primary Resource Information:* **Single Dwelling, Stories 2.00, Style: Other, ca 1900**

## Tabor Street

The 2-story, 3-bay, hip-roofed wood-frame house features central cross gables on each elevation. Set on a random stone foundation, the house features an asphalt-shingle roof and asbestos shingle siding. A one-story porch, accessed by stairs, has turned posts and rails and scroll-sawn brackets. The windows have 2/2 sash and the wood single-leaf door has 1-light transom. Other details include a boxed wood cornice, a flush fascia, wood steps, and a one-story rear porch.

*Individual Resource Status:* **Single Dwelling** **Contributing** *Total:* 1

### 5799 Tabor Street 002-2111

*Other DHR Id #:* 002-5087-0010

*Primary Resource Information:* **Single Dwelling, Stories 2.00, Style: Colonial Revival, ca 1915**

Built as a garage for 5803 Tabor Street, the 2-story, 2-bay, single-pile Colonial Revival dwelling features 2 dormers on the side-gable pressed metal shingle roof. A shed-roofed screen porch is located on the east side of the house and a shed-roofed addition is located on the south side. The dwelling features details that include 6/6 wood windows, a two-bay facade, louvered wood shutters, and a molded cornice with a decorative return. Two single-leaf doors are located on the facade. Other details include an exterior-end concrete block chimney, and a central-interior brick chimney. The foundation is parged and the wood-frame structure is clad in weatherboard siding.

*Individual Resource Status:* **Single Dwelling** **Contributing** *Total:* 1

*Individual Resource Status:* **Shed** **Non-Contributing** *Total:* 2

### 5800 Tabor Street 002-5087-0013

*Primary Resource Information:* **Single Dwelling, Stories 1.00, Style: Other, ca 1935**

Set on a solid, concrete block foundation, the concrete block one-story dwelling is capped by a front-gabled asphalt-shingle roof. The three-bay facade features a slightly off-center paneled-with-lights door and 6/6 wood windows. There is a shed wing addition on the east elevation, a rear screened porch, and central-interior and exterior-end brick chimneys. Other details include overhanging eaves, a wood cornice, and a peak louvered wood vent.

*Individual Resource Status:* **Single Dwelling** **Contributing** *Total:* 1

### 5803 Tabor Street 002-2109

*Other DHR Id #:* 002-5087-0009

*Primary Resource Information:* **Single Dwelling, Stories 2.50, Style: Colonial Revival, ca 1910**

The dwelling is a 2-1/2-story, 5-bay, double-pile, wood-frame, weatherboard-clad dwelling with a side-gable pressed metal shingle roof, two gabled dormers, and four interior-end brick chimneys. The full-width front porch and side porch feature Tuscan columns and dentiled cornices. The main entrance includes 8-light sidelights and fanlight. A Palladian window is set in each gable end within a closed tympanum. Other detailing includes a turned balustrade, operable louvered wood shutters, and a parged foundation. The front porch is set on brick piers. The rear elevation has a 2.5-story, gabled three-bay projecting ell and a one-story hipped roof addition.

*Individual Resource Status:* **Single Dwelling** **Contributing** *Total:* 1

*Individual Resource Status:* **Ice House** **Contributing** *Total:* 1

*Individual Resource Status:* **Well** **Historic** *Total:* 1

### 5804 Tabor Street 002-2104

*Other DHR Id #:* 002-5087-0014

*Primary Resource Information:* **Church, Stories 1.00, Style: Gothic Revival, ca 1910**

The 1-story, 3-bay, gable-front church features a 2-story, crenelated entrance tower. All openings are arched with brick headers. Windows and doors feature fanlight transoms with swag-like muntins. The church is constructed of 7-course American bond brick and capped by a front-gabled pressed metal shingle roof. There are 2/2 wood windows, a double-leaf central door, and an interior-end and exterior-end brick chimneys. A modern hyphen attaches to a gabled brick parish hall addition. Operable louvered shutters, decorative returns, a wood cornice, and shed apse further define the church.

*Individual Resource Status:* **Church** **Contributing** *Total:* 1

## The Square

### 5761 The Square 002-5087-0036

*Primary Resource Information:* **Commercial Building, Stories 1.00, Style: Other, ca 1940**

The commercial building is a one-story wood-frame building set on a solid concrete block foundation. Clad in weatherboard, the three-bay building features a side-gabled asphalt-shingle roof, a rear gabled addition with exposed rafter tails, and entries on the north and east sides. The primary facade, on the east, includes a central single-leaf paneled-with-lights wood door flanked by paired

## The Square

6/6 wood windows. The north facade is also three bays wide with a central single-leaf door and flanking single 6/6 windows. A metal awning shelters the entry. Surrounds are thin molded wood, while the sills are square-edged. Other detailing includes overhanging eaves, a wood cornice, concrete slab stoops, a stone walkway, and square-edged wood cornerboards. There is a triangular peak vent.

*Individual Resource Status:* **Commercial Building** **Contributing** *Total:* 1

### 5769 The Square 002-5087-0037

*Primary Resource Information:* **Single Dwelling, Stories 1.00, Style: Other, ca 1940**

Set on a solid, concrete block foundation, the one-story wood-frame dwelling features weatherboard cladding and a front-gabled asphalt-shingle roof. The three-bay-wide dwelling faces north featuring a central single-leaf wood paneled door and flanking 6/6 wood windows. Two bays deep, the side elevation include a 6/6 window and a pair of 6/6 windows. Other detailing includes cornerboards, overhanging weaves, a wood cornice, thin molded surrounds and square-edged sills, and a wood deck stoop.

*Individual Resource Status:* **Single Dwelling** **Contributing** *Total:* 1

### 5771 The Square 002-5087-0035

*Primary Resource Information:* **Commercial Building, Stories 1.00, Style: Commercial Style, ca 1960**

The one-story concrete block commercial building features a rectangular footprint and flat roof. The facade is clad with a stretcher bond brick veneer. Symmetrically fenestrated, the building features a central single-leaf plate-glass metal door with one-light transom flanked by large fixed one-light metal display windows. The building abuts the neighboring building to the west, with no fenestration on the east side.

*Individual Resource Status:* **Commercial Building** **Non-Contributing** *Total:* 1

### 5773 The Square 002-5087-0034

*Primary Resource Information:* **Commercial Building, Stories 2.00, Style: Commercial Style, ca 1947**

Set on a solid, concrete block foundation, the two-story five-bay-wide brick veneer commercial building features a rectangular footprint, flat roof, and double entry. The second floor of the building is pierced with five symmetrical 1/1 vinyl windows. The first floor includes a two-bay storefront on the west end, and a three-bay storefront on the east. A wide molded cornice caps the entries. The west entry features a single-leaf paneled-with-lights door, a one-light transom, and a fixed one-light display window. The east storefront includes an inset entry with one-light transom and one-light sidelights. Beveled one-light windows flank the entry, while an addition two one-light windows are located to the east. Detailing includes rowlock sills and vinyl paneled shutters (on second story). The rear elevation features a concrete block one-story addition with balcony and freezer dock.

*Individual Resource Status:* **Commercial Building** **Contributing** *Total:* 1

### 5783 The Square 002-2081

*Other DHR Id #:* **002-5087-0033**

*Primary Resource Information:* **Commercial Building, Stories 2.00, Style: Commercial Style, ca 1910**

1-story, 6-bay-wide, concrete block building faced with rusticated concrete block. Building has wide metal cornice and stepped parapet sides. Windows have various sash sizes: 9/9, 2/2, and 1/1, with concrete jack arches with keystones. Door is recessed and is flanked by tall display windows.

2007: Set on a solid concrete block foundation, the two-story rock-faced concrete block building is capped with a flat roof with concrete-capped parapet. A wide molded cornice extends across the seven-bay facade. Two inset single-leaf primary entrances pierce the facade, featuring beveled fixed-light display windows and one-light transoms. An additional entry to the second floor is located in the west bay. Two windows on the east end are boarded-up. The second floor consists of six symmetrically placed windows with wide, splayed, lug concrete lintels and square-edged surrounds. 1/1, 2/2, and 9/9 windows are located in the sashes. The rear elevation features a one-story shed concrete block addition, while the east elevation features a board-window on the first floor, a 2/2 window on the second and an exterior-end brick chimney (cap removed).

*Individual Resource Status:* **Commercial Building** **Contributing** *Total:* 1

### 5799 The Square 002-2080

*Other DHR Id #:* **002-5087-0032**

*Primary Resource Information:* **Hotel, Stories 2.00, Style: Italianate, ca 1909**

The 2-story, 3-bay-wide, seven-bay-deep brick hotel building sits on a solid parged foundation and is capped with a flat roof with decorative cornice parapet. The wide metal cornice is detailed with brackets and modillions, representative of the Italianate style. The building has a beveled NW corner with main entrance, including a single-leaf eight-light wood door and single-light transom, set

## The Square

beneath a decorative panel with double-row brick arched lintel. Two additional entrances are on the west side. A metal balcony runs across the second story of the east elevation, although only the frame remains. It is detailed with decorative metal scrolled brackets. Windows have segmental arches with 1/1 sash, and square-edged lug sills. A dentiled brick cornice extends across the north and west elevations, as well as the beveled corner. The first floor of the north elevation has been altered with a large first floor commercial window configuration. There are three 16-light wood display windows set in a Colonial Revival-style molded surround. The entry is accessed by half-round concrete steps. The rear of the building is not symmetrically fenestrated on the first floor. There are three symmetrical-spaced arched windows on then second floor and an entry and three smaller windows on the first floor. A basement-access door is also located on the rear.

2007:

2-story, 3-bay-wide, 9-bay-long brick building with a wide metal cornice with brackets and modillions. Building has a clipped corner with main entrance. Two additional entrances are on the west. A metal balcony runs across the second story of the east elevation. Windows have segmental arches with 1/1 sash.

*Individual Resource Status:* **Hotel** **Contributing** *Total:* 1

## Three Notched Road

### 5784 Three Notched Road 002-2085

*Other DHR Id #:* 002-5087-0078

*Primary Resource Information:* **Commercial Building, Stories 1.00, Style: Colonial Revival, ca 1920**

1-story, 3-bay-wide, 5-bay deep hip-roofed building with narrow end of roof hip facing the street. Building trimmed with molded cornice and corner strips. Flat-roofed portico has molded cornice, and Doric columns and pilasters. Door has 4-pane transom, windows have 6/6 sash.

2007: Constructed of rock-faced concrete block with a brick facade veneer, the building consists of two separate parts, facing south. The east wing has a three-bay-wide entry set within a Colonial Revival boxed frame, with flared rooflet, Tuscan pilasters, one-light large display windows with 12-light transoms, and a central single-leaf door with one-light sidelights and 12-light transom. The west portion wing features a single-leaf entry with one-light transom (the door is infilled with a one-light window) and concrete steps, while the east bay consists of a pair of fixed one-light windows with a multi-light shared original transom. The wing is clad in stucco siding. The rear of the building abuts 002-5087-0174-002-2084.

*Individual Resource Status:* **Commercial Building** **Contributing** *Total:* 1

### 5786 Three Notched Road 002-2084

*Other DHR Id #:* 002-5087-0174

*Primary Resource Information:* **Commercial Building, Stories 1.00, Style: Commercial Style, ca 1920**

Long two-part, 5-bay, 1-story concrete block building faced with rusticated block on N, E, and W facades, and brick on the south (front) facade. A wing with loading platform and shed roofed porch is on the northwest. Some window fenestration above door is probably original.

2007: The circa 1920 commercial building was constructed at the rear of the building at 5784 Three Notch'd Rd. Constructed of rock-faced concrete block, the building features a flat roof and shared wrap-around porch. Currently housing separate businesses on each side, the building features an L-shaped form. The west facing facade, which houses Subway, features two single-leaf modern metal glass doors, a 6/6 wood windows, and two plate-glass windows. The south-facing elevation, housing Hand Crafters, features central double-leaf plate-glass doors and a large one-light window as well as a 6/6 wood window. The shed porch extends across both elevations, supported by wood posts a modern wood ramp and wood square balusters.

*Individual Resource Status:* **Commercial Building** **Contributing** *Total:* 1

### 5790 Three Notched Road 002-5087-0077

*Primary Resource Information:* **Commercial Building, Stories 1.50, Style: Commercial Style, ca 1940**

Set on a concrete block foundation, the one-story concrete block commercial structure features a rectangular footprint, flat roof, and brick veneer facade. The facade is sheltered by an almost full-width modern porch with half-gambrel asphalt-shingle roof, wood posts, and an off-center ramp entry. Original side elevation steps have been closed off. Two modern sets of one-light windows pierce the facade flanking the off-center single-leaf 15-light wood door. It appears that some original multi-light metal industrial windows are set beneath the porch roof although they have been painted opaque. Three sixteen-light industrial windows pierce the side elevations, with twelve lights exposed and four painted opaque. Built into a hillside, the remaining three bays on the west elevation feature 15-light industrial windows on each story. Other detailing included stepped side elevation parapets, a molded cornice on the facade, framing the modern porch, an exterior-end brick chimney, and concrete side elevation sills and lintels. The rear, or north, elevation features three opaque 12-lights on the upper story and a ground level off-center roll-up metal garage door.

## Three Notched Road

*Individual Resource Status:* **Commercial Building**

**Contributing**

*Total:* 1

### 5791 Three Notched Road 002-2083

*Other DHR Id #:* 002-5087-0079

*Primary Resource Information:* **Depot, Stories 1.00, Style: Colonial Revival, ca 1923**

1-story, 8-bay-wide and 2-bay-deep hip-roofed railroad passenger station with wide bracketed eaves. Hipped roof dormers with louvered vents are on each elevation. Building has concrete belt course and concrete window ledges. Most original doors remain and have recessed panels with diagonal lathe.

2007: Set on a poured concrete foundation, the one-story brick depot building is constructed of brick Flemish bond masonry and capped by a hipped slate roof with distinctive wide overhanging eaves and hipped dormers. There are large decorative eave brackets, a boxed wood cornice, and a concrete watertable. A poured concrete deck supports a metal porch balustrade that wraps around the NW corner of the building. Windows include 9/1 wood windows and 9-light wood casements. The main entry is located within a modern glass and metal enclosure with double-leaf glass doors. The windows are detailed with splayed brick lintels and concrete sills (some rest on the watertable). The east elevation features double-leaf wood doors, a 12-light transom, and a 9-light casement window. Additionally, the south elevation, which faces the tracks has four 9/1 windows, two single-leaf doors with six-light transoms, a three-sided projecting bay and a double-leaf door with transom, and a 9-light casement.

*Individual Resource Status:* **Depot**

**Contributing**

*Total:* 1

### 5792 Three Notched Road 002-5087-0076

*Primary Resource Information:* **Commercial Building, Stories 1.00, Style: Colonial Revival, ca 1920**

Set on a poured concrete foundation, the one-story weatherboard-clad wood-frame building is capped by a hipped asphalt-shingle roof. Facing south, the three-bay facade features a central single-leaf wood paneled door flanked by 6/6 wood windows. Detailing includes a boxed wood cornice, a rectangular footprint, square-edged wood surrounds with molded backbands, cornerboards, and a central shallow portico. The portico features a molded entablature and Tuscan pilasters and columns. Built into the hill, the rear elevation is slightly raised on a basement with side elevation single-leaf entry. A central-interior brick chimney rises from the roof.

*Individual Resource Status:* **Commercial Building**

**Contributing**

*Total:* 1

### 5794 Three Notched Road 002-2095

*Other DHR Id #:* 002-5087-0075

*Primary Resource Information:* **Commercial Building, Stories 1.00, Style: Commercial Style, ca 1902**

Five bays wide, shed-roofed frame commercial building with boxed cornice, molding strip and corner strips. Two entrance doors have two-light transoms and windows have 2/2 entrance doors have two-light transoms and windows have 2/2 sash. Doors appear old, if not original to the building. Currently in good condition. Building is now a pizza restaurant.

2007: Set on a random rubblestone foundation, the one-story wood-frame office features a shed standing-seam metal roof, weatherboard cladding, and a five-bay facade. Symmetrically fenestrated, the building is pierced with two single-leaf paneled-with lights doors with two-light transoms. The doors are flanked by and separated by three 6/6 vinyl windows. Detailing includes an exterior rear brick chimney, a molded wood cornice, square-edged wood surrounds with lipped lintels, and square cornerboards. The rear features an off-center 6/6 wood window and partial vertical-board siding at the ground level. The west side abuts the neighboring cooperage building, while the east side is pierced by a 6/6 vinyl window and a wood louvered vent.

*Individual Resource Status:* **Commercial Building**

**Contributing**

*Total:* 1

### 5796 Three Notched Road 002-2086

*Other DHR Id #:* 002-5087-0074

*Primary Resource Information:* **Commercial Building, Stories 2.00, Style: Commercial Style, ca 1902**

2-story, 6-bay-wide, frame building with double gable roofs with gable end facade. Evidence of some doors on the second floor. Building now has three entrances.

2007: Composed of two gable-fronted two-story warehouses joined by a hyphen, the commercial building stretches six bays wide. Clad in corrugated metal and capped with a standing-seam metal roof, the building sits on a stone pier foundation that has been infilled with concrete block. The western two-bay section features a first floor double-leaf plate-glass modern metal entry and pair of replacement 1/1 wood windows. The second floor is pierced with two 6/6 vinyl windows. A central loft entry has been infilled. The hyphen is pierced with a single roll-up paneled-with-lights door. The garage entry and the double-leaf entry are sheltered by a modern three-bay shed porch with asphalt shingles and wood posts. The eastern portion is similar to the western side, with modern fenestration on the first story. There is a central double-leaf metal door flanked by projecting three-sided bay windows. Each of the bay windows features an asphalt-shingled rooflet, a central one-light window and flanking canted 1/1 windows. The second floor features two 6/6 vinyl windows and a central single-leaf corrugated metal clad loft door. The rear elevation features 6/6 vinyl windows is each of the building's two-bay openings except the west side, which features a first story single-leaf door. Additionally,

### **Three Notched Road**

an off-center single-leaf door pierces the hyphen. The entries are accessed via a wood deck and steps. Other detailing on the building includes one-light windows set beneath the cornice on the west elevation, overhanging eaves, a wood cornice, skylights, and square-edged wood surrounds with lipped lintels.

*Individual Resource Status:* **Commercial Building**

**Contributing**

*Total:* 1

**Total Number of Resources: 174**